For:ddrumhel

Printed on:Mon, Jul 3, 2000 11:47:34

From book:med501

Document: MEDcov12

Last saved on:Mon, Jul 3, 2000 11:47:03

Document: MEDi-iv

Last saved on:Mon, Jul 3, 2000 11:47:04

Document:avail

Last saved on:Mon, Jul 3, 2000 11:47:05

Document:FedLib

Last saved on:Mon, Jul 3, 2000 11:47:06

Document:typical

Last saved on:Mon, Jul 3, 2000 11:47:06

Document:med501

Last saved on:Mon, Jul 3, 2000 11:47:07

Document:term

Last saved on:Mon, Jul 3, 2000 11:47:08

Document:author

Last saved on:Mon, Jul 3, 2000 11:47:08

Document:RDP

Last saved on:Mon, Jul 3, 2000 11:47:15

AEROSPACE MEDICINE AND BIOLOGY

A CONTINUING BIBLIOGRAPHY WITH INDEXES



The NASA STI Program Office . . . in Profile

Since its founding, NASA has been dedicated to the advancement of aeronautics and space science. The NASA Scientific and Technical Information (STI) Program Office plays a key part in helping NASA maintain this important role.

The NASA STI Program Office is operated by Langley Research Center, the lead center for NASA's scientific and technical information. The NASA STI Program Office provides access to the NASA STI Database, the largest collection of aeronautical and space science STI in the world. The Program Office is also NASA's institutional mechanism for disseminating the results of its research and development activities. These results are published by NASA in the NASA STI Report Series, which includes the following report types:

- TECHNICAL PUBLICATION. Reports of completed research or a major significant phase of research that present the results of NASA programs and include extensive data or theoretical analysis. Includes compilations of significant scientific and technical data and information deemed to be of continuing reference value. NASA's counterpart of peerreviewed formal professional papers but has less stringent limitations on manuscript length and extent of graphic presentations.
- TECHNICAL MEMORANDUM. Scientific and technical findings that are preliminary or of specialized interest, e.g., quick release reports, working papers, and bibliographies that contain minimal annotation. Does not contain extensive analysis.
- CONTRACTOR REPORT. Scientific and technical findings by NASA-sponsored contractors and grantees.

- CONFERENCE PUBLICATION. Collected papers from scientific and technical conferences, symposia, seminars, or other meetings sponsored or cosponsored by NASA.
- SPECIAL PUBLICATION. Scientific, technical, or historical information from NASA programs, projects, and missions, often concerned with subjects having substantial public interest.
- TECHNICAL TRANSLATION.
 English-language translations of foreign scientific and technical material pertinent to NASA's mission.

Specialized services that complement the STI Program Office's diverse offerings include creating custom thesauri, building customized databases, organizing and publishing research results . . . even providing videos.

For more information about the NASA STI Program Office, see the following:

- Access the NASA STI Program Home Page at http://www.sti.nasa.gov
- E-mail your question via the Internet to help@sti.nasa.gov
- Fax your question to the NASA STI Help Desk at (301) 621-0134
- Telephone the NASA STI Help Desk at (301) 621-0390
- Write to: NASA STI Help Desk NASA Center for AeroSpace Information 7121 Standard Drive Hanover, MD 21076-1320

Introduction

This supplemental issue of *Aerospace Medicine and Biology, A Continuing Bibliography with Indexes* (NASA/SP—1999-7011) lists reports, articles, and other documents recently announced in the NASA STI Database.

In its subject coverage, *Aerospace Medicine and Biology* concentrates on the biological, physiological, psychological, and environmental effects to which humans are subjected during and following simulated or actual flight in the Earth's atmosphere or in interplanetary space. References describing similar effects on biological organisms of lower order are also included. Such related topics as sanitary problems, pharmacology, toxicology, safety and survival, life support systems, exobiology, and personnel factors receive appropriate attention. Applied research receives the most emphasis, but references to fundamental studies and theoretical principles related to experimental development also qualify for inclusion.

Each entry in the publication consists of a standard bibliographic citation accompanied, in most cases, by an abstract.

The NASA CASI price code table, addresses of organizations, and document availability information are included before the abstract section.

Two indexes—subject and author are included after the abstract section.

SCAN Goes Electronic!

If you have electronic mail or if you can access the Internet, you can view biweekly issues of *SCAN* from your desktop absolutely free!

Electronic SCAN takes advantage of computer technology to inform you of the latest worldwide, aerospace-related, scientific and technical information that has been published.

No more waiting while the paper copy is printed and mailed to you. You can view *Electronic SCAN* the same day it is released—up to 191 topics to browse at your leisure. When you locate a publication of interest, you can print the announcement. You can also go back to the *Electronic SCAN* home page and follow the ordering instructions to quickly receive the full document.

Start your access to *Electronic SCAN* today. Over 1,000 announcements of new reports, books, conference proceedings, journal articles...and more—available to your computer every two weeks.

Timely Flexible Complete FREE!

For Internet access to *E-SCAN*, use any of the following addresses:

http://www.sti.nasa.gov ftp.sti.nasa.gov gopher.sti.nasa.gov

To receive a free subscription, send e-mail for complete information about the service first. Enter **scan@sti.nasa.gov** on the address line. Leave the subject and message areas blank and send. You will receive a reply in minutes.

Then simply determine the SCAN topics you wish to receive and send a second e-mail to **listserv@sti.nasa.gov**. Leave the subject line blank and enter a subscribe command, denoting which topic you want and your name in the message area, formatted as follows:

Subscribe SCAN-02-01 Jane Doe

For additional information, e-mail a message to **help@sti.nasa.gov**.

Phone: (301) 621-0390

Fax: (301) 621-0134

Write: NASA STI Help Desk

NASA Center for AeroSpace Information

7121 Standard Drive Hanover, MD 21076-1320

Looking just for *Aerospace Medicine and Biology* reports?

Although hard copy distribution has been discontinued, you can still receive these vital announcements through your *E-SCAN* subscription. Just **Subscribe SCAN-AEROMED Jane Doe** in the message area of your e-mail to **listserv@sti.nasa.gov**.



Table of Contents

Records are arranged in categories 51 through 55, the Life Sciences division of *STAR*. Selecting a category will link you to the collection of records cited in this issue pertaining to that category.

51 Life Sciences (General)

Includes general research topics related to plant and animal biology (non–human); ecology; microbiology; and also the origin, development, structure, and maintenance, of animals and plants in space and related environmental conditions. For specific topics in life sciences see *categories 52 through 55*.

52 Aerospace Medicine

3

Includes the biological and physiological effects of atmospheric and space flight (weightlessness, space radiation, acceleration, and altitude stress) on the human being; and the prevention of adverse effects on those environments. For psychological and behavioral effects of aerospace environments see 53 Behavioral Sciences. For the effects of space on animals and plants see 51 Life Sciences.

53 Behavioral Sciences

Includes psychological factors; individual and group behavior; crew training and evaluation; and psychiatric research.

54 Man/System Technology and Life Support

13

Includes human factors engineering; bionics, man–machine, life support, space suits and protective clothing. For related information 52 Aerospace Medicine.

Indexes

Two indexes are available. You may use the find command under the tools menu while viewing the PDF file for direct match searching on any text string. You may also view the indexes provided, for searching on *NASA Thesaurus* subject terms and author names.

Subject Term Index Author Index

ST-1

PA-1

Selecting an index above will link you to that comprehensive listing.

Document Availability

Select **Availability Info** for important information about NASA Scientific and Technical Information (STI) Program Office products and services, including registration with the NASA Center for AeroSpace Information (CASI) for access to the NASA CASI TRS (Technical Report Server), and availability and pricing information for cited documents.

The New NASA Video Catalog is Here

To order your copy, call the NASA STI Help Desk at (301) 621-0390,

fax to

(301) 621-0134,

e-mail to

help@sti.nasa.gov, or visit the NASA STI Program homepage at

http://www.sti.nasa.gov

(Select STI Program Bibliographic Announcements)

Explore the Universe!

Document Availability Information

The mission of the NASA Scientific and Technical (STI) Program Office is to quickly, efficiently, and cost-effectively provide the NASA community with desktop access to STI produced by NASA and the world's aerospace industry and academia. In addition, we will provide the aerospace industry, academia, and the taxpayer access to the intellectual scientific and technical output and achievements of NASA.

Eligibility and Registration for NASA STI Products and Services

The NASA STI Program offers a wide variety of products and services to achieve its mission. Your affiliation with NASA determines the level and type of services provided by the NASA STI Program. To assure that appropriate level of services are provided, NASA STI users are requested to register at the NASA Center for AeroSpace Information (CASI). Please contact NASA CASI in one of the following ways:

E-mail: help@sti.nasa.gov Fax: 301-621-0134 Phone: 301-621-0390

Mail: ATTN: Registration Services

NASA Center for AeroSpace Information

7121 Standard Drive Hanover, MD 21076-1320

Limited Reproducibility

In the database citations, a note of limited reproducibility appears if there are factors affecting the reproducibility of more than 20 percent of the document. These factors include faint or broken type, color photographs, black and white photographs, foldouts, dot matrix print, or some other factor that limits the reproducibility of the document. This notation also appears on the microfiche header.

NASA Patents and Patent Applications

Patents owned by NASA are announced in the STI Database. Printed copies of patents (which are not microfiched) are available for purchase from the U.S. Patent and Trademark Office.

When ordering patents, the U.S. Patent Number should be used, and payment must be remitted in advance, by money order or check payable to the Commissioner of Patents and Trademarks. Prepaid purchase coupons for ordering are also available from the U.S. Patent and Trademark Office.

Patents and patent applications owned by NASA are available for licensing. Requests for licensing terms and further information should be addressed to:

National Aeronautics and Space Administration Associate General Counsel for Intellectual Property Code GP Washington, DC 20546-0001

Sources for Documents

One or more sources from which a document announced in the STI Database is available to the public is ordinarily given on the last line of the citation. The most commonly indicated sources and their acronyms or abbreviations are listed below, with an Addresses of Organizations list near the back of this section. If the publication is available from a source other than those listed, the publisher and his address will be displayed on the availability line or in combination with the corporate source.

Avail: NASA CASI. Sold by the NASA Center for AeroSpace Information. Prices for hard copy (HC) and microfiche (MF) are indicated by a price code following the letters HC or MF in the citation. Current values are given in the NASA CASI Price Code Table near the end of this section.

Note on Ordering Documents: When ordering publications from NASA CASI, use the document ID number or other report number. It is also advisable to cite the title and other bibliographic identification.

- Avail: SOD (or GPO). Sold by the Superintendent of Documents, U.S. Government Printing Office, in hard copy.
- Avail: BLL (formerly NLL): British Library Lending Division, Boston Spa, Wetherby, Yorkshire, England. Photocopies available from this organization at the price shown. (If none is given, inquiry should be addressed to the BLL.)
- Avail: DOE Depository Libraries. Organizations in U.S. cities and abroad that maintain collections of Department of Energy reports, usually in microfiche form, are listed in Energy Research Abstracts. Services available from the DOE and its depositories are described in a booklet, *DOE Technical Information Center—Its Functions and Services* (TID-4660), which may be obtained without charge from the DOE Technical Information Center.
- Avail: ESDU. Pricing information on specific data, computer programs, and details on ESDU International topic categories can be obtained from ESDU International.
- Avail: Fachinformationszentrum Karlsruhe. Gesellschaft für wissenschaftlich-technische Information mbH 76344 Eggenstein-Leopoldshafen, Germany.
- Avail: HMSO. Publications of Her Majesty's Stationery Office are sold in the U.S. by Pendragon House, Inc. (PHI), Redwood City, CA. The U.S. price (including a service and mailing charge) is given, or a conversion table may be obtained from PHI.
- Avail: Issuing Activity, or Corporate Author, or no indication of availability. Inquiries as to the availability of these documents should be addressed to the organization shown in the citation as the corporate author of the document.

- Avail: NASA Public Document Rooms. Documents so indicated may be examined at or purchased from the National Aeronautics and Space Administration (JBD-4), Public Documents Room (Room 1H23), Washington, DC 20546-0001, or public document rooms located at NASA installations, and the NASA Pasadena Office at the Jet Propulsion Laboratory.
- Avail: NTIS. Sold by the National Technical Information Service. Initially distributed microfiche under the NTIS SRIM (Selected Research in Microfiche) are available. For information concerning this service, consult the NTIS Subscription Section, Springfield, VA 22161.
- Avail: Univ. Microfilms. Documents so indicated are dissertations selected from Dissertation Abstracts and are sold by University Microfilms as xerographic copy (HC) and microfilm. All requests should cite the author and the Order Number as they appear in the citation.
- Avail: US Patent and Trademark Office. Sold by Commissioner of Patents and Trademarks, U.S. Patent and Trademark Office, at the standard price of \$1.50 each, postage free.
- Avail: (US Sales Only). These foreign documents are available to users within the United States from the National Technical Information Service (NTIS). They are available to users outside the United States through the International Nuclear Information Service (INIS) representative in their country, or by applying directly to the issuing organization.
- Avail: USGS. Originals of many reports from the U.S. Geological Survey, which may contain color illustrations, or otherwise may not have the quality of illustrations preserved in the microfiche or facsimile reproduction, may be examined by the public at the libraries of the USGS field offices whose addresses are listed on the Addresses of Organizations page. The libraries may be queried concerning the availability of specific documents and the possible utilization of local copying services, such as color reproduction.

Addresses of Organizations

British Library Lending Division Boston Spa, Wetherby, Yorkshire England

Commissioner of Patents and Trademarks U.S. Patent and Trademark Office Washington, DC 20231

Department of Energy Technical Information Center P.O. Box 62 Oak Ridge, TN 37830

European Space Agency— Information Retrieval Service ESRIN Via Galileo Galilei 00044 Frascati (Rome) Italy

ESDU International 27 Corsham Street London N1 6UA England

Fachinformationszentrum Karlsruhe
Gesellschaft für wissenschaftlich-technische
Information mbH
76344 Eggenstein-Leopoldshafen, Germany

Her Majesty's Stationery Office P.O. Box 569, S.E. 1 London, England

NASA Center for AeroSpace Information 7121 Standard Drive Hanover, MD 21076-1320

(NASA STI Lead Center)
National Aeronautics and Space Administration
Scientific and Technical Information Program Office
Langley Research Center – MS157
Hampton, VA 23681

National Technical Information Service 5285 Port Royal Road Springfield, VA 22161

Pendragon House, Inc. 899 Broadway Avenue Redwood City, CA 94063

Superintendent of Documents U.S. Government Printing Office Washington, DC 20402

University Microfilms A Xerox Company 300 North Zeeb Road Ann Arbor, MI 48106

University Microfilms, Ltd. Tylers Green London, England

U.S. Geological Survey Library National Center MS 950 12201 Sunrise Valley Drive Reston, VA 22092

U.S. Geological Survey Library 2255 North Gemini Drive Flagstaff, AZ 86001

U.S. Geological Survey 345 Middlefield Road Menlo Park, CA 94025

U.S. Geological Survey Library Box 25046 Denver Federal Center, MS914 Denver, CO 80225

NASA CASI Price Code Table

(Effective July 1, 1998)

	U.S., Canada,		U	.S., Canada,	
Code	& Mexico	Foreign	Code	& Mexico	Foreign
A01	\$ 8.00	\$ 16.00	E01	\$101.00	\$202.00
A02	12.00	24.00	E02	. 109.50	. 219.00
A03	23.00	46.00	E03	. 119.50	. 238.00
A04	25.50	51.00	E04	. 128.50	. 257.00
A05	27.00	54.00	E05	. 138.00	. 276.00
A06	29.50	59.00	E06	. 146.50	. 293.00
A07	33.00	66.00	E07	. 156.00	. 312.00
A08	36.00	72.00	E08	. 165.50	. 331.00
A09	41.00	82.00	E09	. 174.00	. 348.00
A10	44.00	88.00	E10	. 183.50	. 367.00
A11	47.00	94.00	E11	. 193.00	. 386.00
A12	51.00	102.00	E12	. 201.00	. 402.00
A13	54.00	108.00	E13	. 210.50	. 421.00
A14	56.00	112.00	E14	. 220.00	. 440.00
A15	58.00	116.00	E15	. 229.50	. 459.00
A16	60.00	120.00	E16	. 238.00	. 476.00
A17	62.00	124.00	E17	. 247.50	. 495.00
A18	65.50	131.00	E18	. 257.00	. 514.00
A19	67.50	135.00	E19	. 265.50	. 531.00
	69.50		E20	. 275.00	. 550.00
	71.50		E21	. 284.50	. 569.00
A22	77.00	154.00	E22	. 293.00	. 586.00
	79.00		E23	. 302.50	. 605.00
A24	81.00	162.00	E24	. 312.00	. 624.00
A25	83.00	166.00	E99 C	ontact NASA CAS	$_{ m SI}$
A99	Contact NASA CA	ASI			

Payment Options

All orders must be prepaid unless you are registered for invoicing or have a deposit account with the NASA CASI. Payment can be made by VISA, MasterCard, American Express, or Diner's Club credit card. Checks or money orders must be in U.S. currency and made payable to "NASA Center for AeroSpace Information." To register, please request a registration form through the NASA STI Help Desk at the numbers or addresses below.

Handling fee per item is \$1.50 domestic delivery to any location in the United States and \$9.00 foreign delivery to Canada, Mexico, and other foreign locations. Video orders incur an additional \$2.00 handling fee per title.

The fee for shipping the safest and fastest way via Federal Express is in addition to the regular handling fee explained above—\$5.00 domestic per item, \$27.00 foreign for the first 1-3 items, \$9.00 for each additional item.

Return Policy

The NASA Center for AeroSpace Information will replace or make full refund on items you have requested if we have made an error in your order, if the item is defective, or if it was received in damaged condition, and you contact CASI within 30 days of your original request.

NASA Center for AeroSpace Information 7121 Standard Drive Hanover, MD 21076-1320

E-mail: help@sti.nasa.gov Fax: (301) 621-0134 Phone: (301) 621-0390

Rev. 7/98

Federal Depository Library Program

In order to provide the general public with greater access to U.S. Government publications, Congress established the Federal Depository Library Program under the Government Printing Office (GPO), with 53 regional depositories responsible for permanent retention of material, inter-library loan, and reference services. At least one copy of nearly every NASA and NASA-sponsored publication, either in printed or microfiche format, is received and retained by the 53 regional depositories. A list of the Federal Regional Depository Libraries, arranged alphabetically by state, appears at the very end of this section. These libraries are not sales outlets. A local library can contact a regional depository to help locate specific reports, or direct contact may be made by an individual.

Public Collection of NASA Documents

An extensive collection of NASA and NASA-sponsored publications is maintained by the British Library Lending Division, Boston Spa, Wetherby, Yorkshire, England for public access. The British Library Lending Division also has available many of the non-NASA publications cited in the STI Database. European requesters may purchase facsimile copy or microfiche of NASA and NASA-sponsored documents FIZ–Fachinformation Karlsruhe–Bibliographic Service, D-76344 Eggenstein-Leopoldshafen, Germany and TIB–Technische Informationsbibliothek, P.O. Box 60 80, D-30080 Hannover, Germany.

Submitting Documents

All users of this abstract service are urged to forward reports to be considered for announcement in the STI Database. This will aid NASA in its efforts to provide the fullest possible coverage of all scientific and technical publications that might support aeronautics and space research and development. If you have prepared relevant reports (other than those you will transmit to NASA, DOD, or DOE through the usual contract- or grant-reporting channels), please send them for consideration to:

ATTN: Acquisitions Specialist NASA Center for AeroSpace Information 7121 Standard Drive Hanover, MD 21076-1320.

Reprints of journal articles, book chapters, and conference papers are also welcome.

You may specify a particular source to be included in a report announcement if you wish; otherwise the report will be placed on a public sale at the NASA Center for AeroSpace Information. Copyrighted publications will be announced but not distributed or sold.

Federal Regional Depository Libraries

ALABAMA AUBURN UNIV. AT MONTGOMERY LIBRARY

Documents Dept. 7300 University Dr. Montgomery, AL 36117–3596 (205) 244–3650 Fax: (205) 244–0678

UNIV. OF ALABAMA

Amelia Gayle Gorgas Library Govt. Documents P.O. Box 870266 Tuscaloosa, AL 35487-0266 (205) 348-6046 Fax: (205) 348-0760

ARIZONA DEPT. OF LIBRARY, ARCHIVES, AND PUBLIC RECORDS

Research Division Third Floor, State Capitol 1700 West Washington Phoenix, AZ 85007 (602) 542–3701 Fax: (602) 542–4400

ARKANSAS ARKANSAS STATE LIBRARY

State Library Service Section Documents Service Section One Capitol Mall Little Rock, AR 72201-1014 (501) 682–2053 Fax: (501) 682–1529

CALIFORNIA CALIFORNIA STATE LIBRARY

Govt. Publications Section P.O. Box 942837 - 914 Capitol Mall Sacramento, CA 94337-0091 (916) 654-0069 Fax: (916) 654-0241

COLORADO

UNIV. OF COLORADO - BOULDER

Libraries - Govt. Publications Campus Box 184 Boulder, CO 80309-0184 (303) 492-8834 Fax: (303) 492-1881

DENVER PUBLIC LIBRARY

Govt. Publications Dept. BSG 1357 Broadway Denver, CO 80203-2165 (303) 640-8846 Fax: (303) 640-8817

CONNECTICUT CONNECTICUT STATE LIBRARY

231 Capitol Avenue Hartford, CT 06106 (203) 566-4971 Fax: (203) 566-3322

FLORIDA

UNIV. OF FLORIDA LIBRARIES

Documents Dept. 240 Library West Gainesville, FL 32611-2048 (904) 392-0366 Fax: (904) 392-7251

GEORGIA UNIV. OF GEORGIA LIBRARIES

Govt. Documents Dept. Jackson Street Athens, GA 30602-1645 (706) 542-8949 Fax: (706) 542-4144

HAWAII

UNIV. OF HAWAII Hamilton Library Govt. Documents Collection 2550 The Mall Honolulu, HI 96822 (808) 948–8230 Fax: (808) 956–5968

UNIV. OF IDAHO LIBRARY

Documents Section Rayburn Street Moscow, ID 83844-2353 (208) 885-6344 Fax: (208) 885-6817

ILLINOIS

ILLINOIS STATE LIBRARY Federal Documents Dept.

300 South Second Street Springfield, IL 62701-1796 (217) 782-7596 Fax: (217) 782-6437

INDIANA INDIANA STATE LIBRARY

Serials/Documents Section 140 North Senate Avenue Indianapolis, IN 46204-2296 (317) 232-3679 Fax: (317) 232-3728

UNIV. OF IOWA LIBRARIES
Govt. Publications

Washington & Madison Streets lowa City, IA 52242-1166 (319) 335-5926 Fax: (319) 335-5900

KANSAS

UNIV. OF KANSAS

Govt. Documents & Maps Library 6001 Malott Hall Lawrence, KS 66045-2800 (913) 864–4660 Fax: (913) 864–3855

UNIV. OF KENTUCKY

King Library South Govt. Publications/Maps Dept. Patterson Drive Lexington, KY 40506-0039 (606) 257-3139 Fax: (606) 257-3139

LOUISIANA LOUISIANA STATE UNIV.

Middleton Library Govt. Documents Dept Baton Rouge, LA 70803-3312 (504) 388-2570 Fax: (504) 388-6992

LOUISIANA TECHNICAL UNIV.

Prescott Memorial Library Govt. Documents Dept. Ruston, LA 71272-0046 (318) 257-4962 Fax: (318) 257-2447

MAINE

UNIV. OF MAINE

Raymond H. Fogler Library Govt. Documents Dept. Orono, ME 04469-5729 (207) 581-1673 Fax: (207) 581-1653

MARYLAND UNIV. OF MARYLAND - COLLEGE PARK McKeldin Library

Govt. Documents/Maps Unit College Park, MD 20742 (301) 405–9165 Fax: (301) 314–9416

MASSACHUSETTS BOSTON PUBLIC LIBRARY

Govt. Documents 666 Boylston Street Boston, MA 02117–0286 (617) 536–5400, ext. 226 Fax: (617) 536–7758

MICHIGAN

DETROIT PUBLIC LIBRARY 5201 Woodward Avenue

Detroit, MI 48202-4093 (313) 833-1025 Fax: (313) 833-0156

LIBRARY OF MICHIGAN

Govt. Documents Unit P.O. Box 30007 717 West Allegan Street Lansing, MI 48909 (517) 373–1300 Fax: (517) 373–3381

MINNESOTA UNIV. OF MINNESOTA

Govt. Publications 409 Wilson Library 309 19th Avenue South Minneapolis, MN 55455 (612) 624-5073 Fax: (612) 626-9353

MISSISSIPPI UNIV. OF MISSISSIPPI

J.D. Williams Library 106 Old Gym Bldg. University, MS 38677 (601) 232–5857 Fax: (601) 232–7465

MISSOURI UNIV. OF MISSOURI – COLUMBIA

106B Ellis Library Govt. Documents Sect. Columbia, MO 65201-5149 (314) 882-6733 Fax: (314) 882-8044

MONTANA UNIV. OF MONTANA

Mansfield Library Documents Division Missoula, MT 59812-1195 (406) 243-6700 Fax: (406) 243-2060

NEBRASKA

UNIV. OF NEBRASKA – LINCOLN

D.L. Love Memorial Library Lincoln, NE 68588-0410 (402) 472-2562 Fax: (402) 472-5131

NEVADA THE UNIV. OF NEVADA LIBRARIES

Business and Govt. Information

Reno, NV 89557-0044 (702) 784-6579 Fax: (702) 784-1751

NEW JERSEY NEWARK PUBLIC LIBRARY

Science Div. - Public Access P.O. Box 630 Five Washington Street Newark, NJ 07101-7812 (201) 733-7782 Fax: (201) 733-5648

NEW MEXICO

UNIV. OF NEW MEXICO General Library Govt. Information Dept. Albuquerque, NM 87131-1466 (505) 277-5441 Fax: (505) 277-6019

NEW MEXICO STATE LIBRARY

325 Don Gaspar Avenue Santa Fe, NM 87503 (505) 827-3824 Fax: (505) 827-3888

NEW YORK NEW YORK STATE LIBRARY

Cultural Education Center Documents/Gift & Exchange Section Empire State Plaza Albany, NY 12230-0001 (518) 474-5355 Fax: (518) 474-5786

NORTH CAROLINA UNIV. OF NORTH CAROLINA – CHAPEL HILL

Walter Royal Davis Library CB 3912, Reference Dept. Chapel Hill, NC 27514-8890 (919) 962-1151 Fax: (919) 962-4451

NORTH DAKOTA NORTH DAKOTA STATE UNIV. LIB.

Documents P.O. Box 5599 Fargo, ND 58105-5599 (701) 237-8886 Fax: (701) 237-7138

UNIV. OF NORTH DAKOTA Chester Fritz Library

University Station P.O. Box 9000 - Centennial and University Avenue Grand Forks, ND 58202-9000 (701) 777-4632 Fax: (701) 777-3319

OHIO STATE LIBRARY OF OHIO

Documents Dept 65 South Front Street Columbus, OH 43215-4163 (614) 644-7051 Fax: (614) 752-9178

OKLAHOMA OKLAHOMA DEPT. OF LIBRARIES U.S. Govt. Information Division

200 Northeast 18th Street Oklahoma City, OK 73105-3298 (405) 521-2502, ext. 253 Fax: (405) 525-7804

OKLAHOMA STATE UNIV.

Edmon Low Library Stillwater, OK 74078–0375 (405) 744–6546 Fax: (405) 744–5183

OREGON PORTLAND STATE UNIV. Branford P. Millar Library 934 Southwest Harrison Portland, OR 97207-1151 (503) 725-4123 Fax: (503) 725-4524

PENNSYLVANIA STATE LIBRARY OF PENN. Govt. Publications Section

116 Walnut & Commonwealth Ave. Harrisburg, PA 17105–1601 (717) 787–3752 Fax: (717) 783–2070

SOUTH CAROLINA CLEMSON UNIV.

Robert Muldrow Cooper Library
Public Documents Unit P.O. Box 343001

Clemson, SC 29634-3001 (803) 656-5174 Fax: (803) 656-3025

UNIV. OF SOUTH CAROLINA

Thomas Cooper Library Green and Sumter Streets Columbia, SC 29208 (803) 777-4841 Fax: (803) 777-9503

TENNESSEE

UNIV. OF MEMPHIS LIBRARIES Govt. Publications Dept. Memphis, TN 38152-0001 (901) 678-2206 Fax: (901) 678-2511

TEXAS STATE LIBRARY

United States Documents P.O. Box 12927 – 1201 Brazos Austin, TX 78701–0001 (512) 463-5455 Fax: (512) 463-5436

TEXAS TECH. UNIV. LIBRARIES

Documents Dept Lubbock, TX 79409-0002 (806) 742-2282 Fax: (806) 742-1920

UTAH UTAH STATE UNIV.

Merrill Library Documents Dept. Logan, UT 84322-3000 (801) 797-2678 Fax: (801) 797-2677

VIRGINIA UNIV. OF VIRGINIA

Alderman Library Govt. Documents University Ave. & McCormick Rd. Charlottesville, VA 22903-2498 (804) 824-3133 Fax: (804) 924-4337

WASHINGTON WASHINGTON STATE LIBRARY

Govt. Publications P.O. Box 42478 16th and Water Streets Olympia, WA 98504-2478 (206) 753-4027 Fax: (206) 586-7575

WEST VIRGINIA WEST VIRGINIA UNIV. LIBRARY Govt. Documents Section

P.O. Box 6069 - 1549 University Ave. Morgantown, WV 26506-6069 (304) 293-3051 Fax: (304) 293-6638

WISCONSIN ST. HIST. SOC. OF WISCONSIN LIBRARY

Govt. Publication Section 816 State Street Madison, WI 53706 (608) 264-6525 Fax: (608) 264-6520

MILWAUKEE PUBLIC LIBRARY

Documents Division 814 West Wisconsin Avenue Milwaukee, WI 53233 (414) 286-3073 Fax: (414) 286-8074

Typical Report Citation and Abstract

- 19970001126 NASA Langley Research Center, Hampton, VA USA
- Water Tunnel Flow Visualization Study Through Poststall of 12 Novel Planform Shapes
- 6 Gatlin, Gregory M., NASA Langley Research Center, USA Neuhart, Dan H., Lockheed Engineering and Sciences Co., USA;
- Mar. 1996; 130p; In English
- **6** Contract(s)/Grant(s): RTOP 505-68-70-04
- @ Report No(s): NASA-TM-4663; NAS 1.15:4663; L-17418; No Copyright; Avail: CASI; A07, Hardcopy; A02, Microfiche
 - To determine the flow field characteristics of 12 planform geometries, a flow visualization investigation was conducted in the Langley 16- by 24-Inch Water Tunnel. Concepts studied included flat plate representations of diamond wings, twin bodies, double wings, cutout wing configurations, and serrated forebodies. The off-surface flow patterns were identified by injecting colored dyes from the model surface into the free-stream flow. These dyes generally were injected so that the localized vortical flow patterns were visualized. Photographs were obtained for angles of attack ranging from 10' to 50', and all investigations were conducted at a test section speed of 0.25 ft per sec. Results from the investigation indicate that the formation of strong vortices on highly swept forebodies can improve poststall lift characteristics; however, the asymmetric bursting of these vortices could produce substantial control problems. A wing cutout was found to significantly alter the position of the forebody vortex on the wing by shifting the vortex inboard. Serrated forebodies were found to effectively generate multiple vortices over the configuration. Vortices from 65' swept forebody serrations tended to roll together, while vortices from 40' swept serrations were more effective in generating additional lift caused by their more independent nature.
- O Author
- **9** Water Tunnel Tests; Flow Visualization; Flow Distribution; Free Flow; Planforms; Wing Profiles; Aerodynamic Configurations

Key

- 1. Document ID Number; Corporate Source
- 2. Title
- 3. Author(s) and Affiliation(s)
- Publication Date
- 5. Contract/Grant Number(s)
- 6. Report Number(s); Availability and Price Codes
- 7. Abstract
- 8. Abstract Author
- 9. Subject Terms

AEROSPACE MEDICINE AND BIOLOGY

A Continuing Bibliography (Suppl. 501)

JUNE 2000

51 LIFE SCIENCES (GENERAL)

Includes general research topics related to plant and animal biology (non-human); ecology; microbiology; and also the origin, development, structure, and maintenance, of animals and plants in space and related environmental conditions. For specific topics in life sciences see categories 52 through 55.

2000044897 Rutherford Appleton Lab., Chilton, UK

Structure of Immunoglobulin A, a Biological Macromolecule

Perkins, S. J., University Coll., UK; The Rutherford Appleton Laboratory ISIS Facility Report 1998-99; August 1999, pp. 46-47; In English; See also 20000044882; Original contains color illustrations; Copyright; Avail: Issuing Activity

Antibody or immunoglobulin molecules play a critical role in our body's immune defense against bacteria and viruses. Immunoglobulin A (IgA) is not only present in blood but is also the predominant antibody class found in the mucosal surfaces of the lung and the gastrointestinal tracts, so forms a critical first line of defence against many invading pathogens. However, despite the abundance and importance of IgA, surprisingly little is known about the three-dimensional structures of the different IgA forms and how these relate to their unique roles in immunity. Small-angle diffraction using neutrons or X-rays is an ideal means to determine their solution structures; measurements on LOQ are helping to reveal the intermolecular arrangement and this in turn provides a better understanding of IgA's functional properties.

Author

Antibodies; Immune Systems; Immunology; Bacteria; Viruses; Antigens

20000053866 International Atomic Energy Agency, Vienna Austria

Optimization of production and quality control of therapeutic radionuclides and radiopharmaceuticals: Co-ordinated research project 1994-1998 Final Report

Sep. 30, 1999; 99p; In English

Report No.(s): DE99-635805; IAEA-TECDOC-1114; No Copyright; Avail: Department of Energy Information Bridge, Microfiche

The 'renaissance' of the therapeutic applications of radiopharmaceuticals during the last few years was in part due to a greater availability of radionuclides with appropriate nuclear decay properties, as well as to the development of carrier molecules with improved characteristics. Although radionuclides such as P-32, SR-89 and I-131, were used from the early days of nuclear medicine in the late 1930s and early 1940s, the inclusion of other particle emitting radionuclides into the nuclear medicine armamentarium was rather late. Only in the early 1980s did the specialized scientific literature start to show the potential for using other beta emitting nuclear reactor produced radionuclides such as Sm-153, Ho-166, Dy-165 and (sup 186-188)Re. Bone seeking agents radiolabelled with the above mentioned beta emitting radionuclides demonstrated clear clinical potential in relieving intense bone pain resulting from metastases of the breast, prostate and lung of cancer patients. Therefore, upon the recommendation of a consultants meeting held in Vienna in 1993, the Co-ordinated Research Project (CRP) on Optimization of the Production and quality control of Radiotherapeutic Radionuclides and Radiopharmaceuticals was established in 1994. The CRP aimed at developing and improving existing laboratory protocols for the production of therapeutic radionuclides using existing nuclear research reactors including the corresponding radiolabelling, quality control procedures; and validation in experimental animals. With the participation of ten scientists from IAEA Member States, several laboratory procedures for preparation and quality control were developed, tested and assessed as potential therapeutic radiopharmaceuticals for bone pain palliation. In particular, the CRP optimized the reactor production of Sm-153 and the preparation of the radiopharmaceutical Sm-153-EDTMP (ethylene diamine tetramethylene phosphorate), as well as radiolabelling techniques and quality control methods for the preparation of Sm-153-hydroxyapatite, Sm-153 and Ho-166-microspheres and Ho-166-ferric-hydroxymacro-aggregates for the treatment of rheumatoid arthritis. The laboratory protocols included in the report were developed and thoroughly assessed and tested by the participants during the course of the CRP. These procedures are considered effective as well as simple to follow by anyone wishing to embark on the production and preparation of the above therapeutic radionuclides and radiopharmaceuticals for bone pain palliation and synovectomy applications.

NTIS

Production Management; Quality Control; Nuclear Research; Radiation Protection; Radiation Therapy

2000056045 Jet Propulsion Lab., California Inst. of Tech., Pasadena, CA USA

Cooperative Mission Concepts Using Biomorphic Explorers

Thakoor, S., Jet Propulsion Lab., California Inst. of Tech., USA; Miralles, C., AeroVironment, Inc., USA; Martin, T., Jet Propulsion Lab., California Inst. of Tech., USA; Kahn, R., Jet Propulsion Lab., California Inst. of Tech., USA; Zurek, R., Jet Propulsion Lab., California Inst. of Tech., USA; [2000]; 2p; In English; No Copyright; Avail: CASI; A01, Hardcopy; A01, Microfiche

Inspired by the immense variety of naturally curious explorers (insects, animals, and birds), their wellintegrated biological sensor-processor suites, efficiently packaged in compact but highly dexterous forms, and their complex, intriguing, cooperative behavior, this paper focuses on "Biomorphic Explorers", their defination/classification, their designs, and presents planetary exploration scenarios based on the designs. Judicious blend of bio-inspired concepts and recent advances in micro-air vehicles, microsensors, microinstruments, MEMS, and microprocessors clearly suggests that the time of small, dedicated, low cost explorers that capture some of the key features of biological systems has arrived. Just as even small insects like ants, termites, honey bees etc working cooperatively in colonies can achieve big tasks, the biomorphic explorers hold the potential for obtaining science in-accessible by current large singular exploration platforms.

Author

Microprocessors; Microinstrumentation; Biological Effects; Animals; Insects

20000056071 Jet Propulsion Lab., California Inst. of Tech., Pasadena, CA USA

From Coexpression to Coregulation: An Approach to Inferring Transcriptional Regulation Among Gene Classes from Large-Scale Expression Data

Mjolsness, Eric, Jet Propulsion Lab., California Inst. of Tech., USA; Castano, Rebecca, Jet Propulsion Lab., California Inst. of Tech., USA; Wold, Barbara, California Inst. of Tech., USA; [2000]; 7p; In English; Sponsored in part by Whittier Foundation

Contract(s)/Grant(s): N00014-97-1-0422; No Copyright; Avail: CASI; A02, Hardcopy; A01, Microfiche

We provide preliminary evidence that existing algorithms for inferring small-scale gene regulation networks from gene expression data can be adapted to large-scale gene expression data coming from hybridization microarrays. The essential steps are (I) clustering many genes by their expression time-course data into a minimal set of clusters of co-expressed genes, (2) theoretically modeling the various conditions under which the time-courses are measured using a continuous-time analog recurrent neural network for the cluster mean time-courses, (3) fitting such a regulatory model to the cluster mean time courses by simulated annealing with weight decay, and (4) analysing several such fits for commonalities in the circuit parameter sets including the connection matrices. This procedure can be used to assess the adequacy of existing and future gene expression time-course data sets for determining transcriptional regulatory relationships such as coregulation.

Author

Gene Expression; Genes; Genetic Code; Genetics; Biological Diversity; Deoxyribonucleic Acid; Ribonucleic Acids; Cells (Biology)

20000056876 Jet Propulsion Lab., California Inst. of Tech., Pasadena, CA USA

Trainable Gene Regulation Networks with Applications to Drosophila Pattern Formation

Mjolsness, Eric, Jet Propulsion Lab., California Inst. of Tech., USA; [2000]; 41p; In English; Original contains color illustrations Contract(s)/Grant(s): N00014-97-1-0422; No Copyright; Avail: CASI; A03, Hardcopy; A01, Microfiche

This chapter will very briefly introduce and review some computational experiments in using trainable gene regulation network models to simulate and understand selected episodes in the development of the fruit fly, Drosophila melanogaster. For details the reader is referred to the papers introduced below. It will then introduce a new gene regulation network model which can describe promoter-level substructure in gene regulation. As described in chapter 2, gene regulation may be thought of as a combination of cis-acting regulation by the extended promoter of a gene (including all regulatory sequences) by way of the transcription complex, and of trans-acting regulation by the transcription factor products of other genes. If we simplify the cis-action by using a phenomenological model which can be tuned to data, such as a unit or other small portion of an artificial

neural network, then the full transacting interaction between multiple genes during development can be modelled as a larger network which can again be tuned or trained to data. The larger network will in general need to have recurrent (feedback) connections since at least some real gene regulation networks do. This is the basic modeling approach taken, which describes how a set of recurrent neural networks can be used as a modeling language for multiple developmental processes including gene regulation within a single cell, cell-cell communication, and cell division. Such network models have been called "gene circuits", "gene regulation networks", or "genetic regulatory networks", sometimes without distinguishing the models from the actual modeled systems.

Derived from text

Genes; Network Analysis; Drosophila; Computation; Gene Expression

20000056895 Prins Maurits Lab. TNO, Rijswijk Netherlands

Characterisation of Bacteria by Matrix- assisted Laser Desorption/Ionisation and Electrospray Mass Spectrometry Final Report

vanBaar, B. L.; Dec. 1999; 62p; In English

Report No.(s): AD-A372718; PML-1999-A83; TDCK-TD99-0176; No Copyright; Avail: CASI; A04, Hardcopy; A01, Microfiche

Chemical analysis for the characterisation of micro-organisms is rapidly evolving, after the recent advent of new ionisation methods in mass spectrometry: electrospray (ES) and matrix-assisted laser desorption/ionisation (MALDI). These methods allow quick characterisation of micro-organisms, either directly or after minimum sample preparation. This report provides a brief introduction to ES and MALDI mass spectrometry and a discussion of micro-organism characterisation capabilities. Some attention is devoted to the analysis of mixtures of proteins, lipids and other compounds, to the combination of polymerase chain reaction technology and mass spectrometry, and to the analysis of whole bacteria and their lysates. The review of results produced hitherto is concluded with an outlook on future developments.

DTIC

Bacteria; Desorption; Ionization; Chemical Analysis

20000057462 Jet Propulsion Lab., California Inst. of Tech., Pasadena, CA USA

Morphogenesis in Plants: Modeling the Shoot Apical Meristem, and Possible Applications

Mjolsness, Eric, Jet Propulsion Lab., California Inst. of Tech., USA; Gor, Victoria, Jet Propulsion Lab., California Inst. of Tech., USA; Meyerowitz, Elliot, California Inst. of Tech., USA; Mann, Tobias, Jet Propulsion Lab., California Inst. of Tech., USA; [1998]; 6p; In English; No Copyright; Avail: CASI; A02, Hardcopy; A01, Microfiche

A key determinant of overall morphogenesis in flowering plants such as Arabidopsis thaliana is the shoot apical meristem (growing tip of a shoot). Gene regulation networks can be used to model this system. We exhibit a very preliminary two-dimensional model including gene regulation and intercellular signaling, but omitting cell division and dynamical geometry. The model can be trained to have three stable regions of gene expression corresponding to the central zone, peripheral zone, and rib meristem. We also discuss a space-engineering motivation for studying and controlling the morphogenesis of plants using such computational models.

Author

Gene Expression; Mathematical Models; Plants (Botany); Two Dimensional Models; Botany; Cells (Biology)

52 AEROSPACE MEDICINE

Includes the biological and physiological effects of atmospheric and space flight (weightlessness, space radiation, acceleration, and altitude stress) on the human being; and the prevention of adverse effects on those environments. For psychological and behavioral effects of aerospace environments see 53 Behavioral Science. For the effects of space on animals and plants see 51 Life Sciences.

20000045690 NASA Johnson Space Center, Houston, TX USA

Endothelium Preserving Microwave Treatment for Atherosclerosis

Carl, James R., Inventor, NASA Johnson Space Center, USA; Arndt, G. Dickey, Inventor, NASA Johnson Space Center, USA; Fink, Patrick W., Inventor, NASA Johnson Space Center, USA; Beer, N. Reginald, Inventor, NASA Johnson Space Center, USA; Henry, Phillip D., Inventor, NASA Johnson Space Center, USA; Pacifico, Antonio, Inventor, NASA Johnson Space Center, USA; Raffoul, George W., Inventor, NASA Johnson Space Center, USA; Apr. 04, 2000; 24p; In English; Continuation-in-part of US-Patent-Appl-SN-641045, filed 17 Apr. 1996

Patent Info.: Filed 5 Aug. 1998; NASA-Case-MSC-22724-1; US-Patent-6,047,216; US-Patent-Appl-SN-129832; US-Patent-Appl-SN-641045; No Copyright; Avail: CASI; A03, Hardcopy; A01, Microfiche

Method and apparatus are provided to treat atherosclerosis wherein the artery is partially closed by dilating the artery while preserving the vital and sensitive endothelial layer thereof Microwave energy having a frequency from 3 GHz to 300 GHz is propagated into the arterial wall to produce a desired temperature profile therein at tissue depths sufficient for thermally necrosing connective tissue and softening fatty and waxy plaque while limiting heating of surrounding tissues including the endothelial laser and/or other healthy tissue, organs, and blood. The heating period for raising the temperature a potentially desired amount, about 20 C., within the atherosclerotic lesion may be less than about one second. In one embodiment of the invention, a radically beveled waveguide antenna is used to deliver microwave energy at frequencies from 25 GHz or 30 GHz to about 300 GHz and is focused towards a particular radial sector of the artery. Because the atherosclerotic lesions are often asymmetrically disposed, directable of focussed heating preserves healthy sectors of the artery and applies energy to the asymmetrically positioned lesion faster than a non-directed beam. A computer simulation predicts isothermic temperature profiles for the given conditions and man be used in selecting power, pulse duration, beam width, and frequency of operation to maximize energy deposition and control heat rise within the atherosclerotic lesion without harming healthy tissues or the sensitive endothelium cells.

Official Gazette of the U.S. Patent and Trademark Office

Arteriosclerosis; Microwave Frequencies; Endothelium; Softening; Sensitivity; Pulse Duration; Heating; Energy Transfer; Computerized Simulation; Clinical Medicine

20000045712 Defence and Civil Inst. of Environmental Medicine, Downsview, Ontario Canada

Handbook of Airsickness for the Canadian Forces Air Navigation School (CFANS)

Cheung, B., Defence and Civil Inst. of Environmental Medicine, Canada; Jan. 2000; 34p; In English

Report No.(s): AD-A375321; DCIEM-TR-2000-014; No Copyright; Avail: CASI; A01, Microfiche; A03, Hardcopy

Airsickness is a common occurrence among aircrew trainees, particularly during the initial training phase. It is well known that motion sickness afflicts the passenger far more than the driver of the vehicle. The objectives of this handbook are to assist student-navigators to dispel myths about airsickness, to recognize the mechanism of airsickness during their initial training, to provide some practical countermeasures and to propose future training strategies in order to minimize the impact of airsickness on operation. Although this handbook is written specifically for CFANS and the investigation into the specific cause of airsickness in navigators is based on the CT-142, other CF navigators, aircrew and flight surgeons may find some of the information useful as well.

DTIC

Motion Sickness; Aerospace Medicine

20000048263 NASA Johnson Space Center, Houston, TX USA

Tubular Coupling

Rosenbaum, Bernard J., Inventor, NASA Johnson Space Center, USA; Apr. 18, 2000; 6p; In English

Patent Info.: Filed 21 Sep. 1998; NASA-Case-MSC-22865-1; US-Patent-6,050,987; US-Patent-Appl-SN-157759; No Copyright; Avail: CASI; A02, Hardcopy; A01, Microfiche

A system for coupling a vascular overflow graft or cannula to a heart pump. A pump pipe outlet is provided with an external tapered surface which receives the end of a compressible connula. An annular compression ring with a tapered internal bore surface is arranged about the cannula with the tapered internal surface in a facing relationship to the external tapered surface. The angle of inclination of the tapered surfaces is converging such that the spacing between the tapered surfaces decreases from one end of the external tapered surface to the other end thereby providing a clamping action of the tapered surface on a cannula which increases as a function of the length of cannula segment between the tapered surfaces. The annular compression ring is disposed within a tubular locking nut which threadedly couples to the pump and provides a compression force for urging the annular ring onto the cannula between the tapered surfaces. The nut has a threaded connection to the pump body. The threaded coupling to the pump body provides a compression force for the annular ring. The annular ring has an annular enclosure space in which excess cannula material from the compression between the tapered surfaces to "bunch up" in the space and serve as an enlarged annular ring segment to assist holding the cannula in place. The clamped cannula provides a seamless joint connection to the pump pipe outlet where the clamping force is uniformly applied to the cannula because of self alignment of the tapered surfaces. The nut can be easily disconnected to replace the pump if necessary.

Official Gazette of the U.S. Patent and Trademark Office

Cardiovascular System; Cannulae; Clamps; Couples; Heart; Joints (Junctions); Self Alignment

20000048494 National Bioethics Advisory Commission, Rockville, MD USA

Research Involving Human Biological Materials: Ethical Issues and Policy Guidance, Volume 2, Commissioned Papers Jan. 2000; 260p; In English

Report No.(s): PB2000-104235; No Copyright; Avail: CASI; A03, Microfiche; A12, Hardcopy

Content include the following: Privacy and the Analysis of Stored Tissues; An Ethical Framework for Biological Samples Policy; Research on Human Tissue: Religion Perspectives; Stored Tissue Samples: An Inventory of Sources in the USA; Contribution of the Human Tissue Archive to the Advancement of Medical Knowledge and the Public Health; The Ongoing Debate About Stored Tissue Samples; and Mini-Hearings on Tissue Samples and Informed Consent.

NTIS

Research; Policies; Genetic Engineering; Research Management; Public Health

2000048498 Center for Mathematics and Computer Science, Amsterdam, Netherlands

Mathematical Modelling in Blood Coagulation; Simulation and Parameter Estimation. Modelling, Analysis and Simulation

Stortelder, W. J. H., Center for Mathematics and Computer Science, Netherlands; Hemker, P. W., Center for Mathematics and Computer Science, Netherlands; Hemker, H. C., Center for Mathematics and Computer Science, Netherlands; Sep. 1997; 20p; In English

Report No.(s): PB2000-104702; MAS-R9720; Copyright; Avail: National Technical Information Service (NTIS)

This paper describes the mathematical modelling of a part of the blood coagulation mechanism. The model includes the activation of factor X by a purified enzyme from Russel's Viper Venom (RVV), factor V and prothrombin, and also comprises the inactivation of the products formed. In this study the authors assume that in principle the mechanism of the process is known. However, the exact structure of the mechanism is unknown, and the process still can be described by different mathematical models. These models are put to the test by measuring their capacity to explain the course of thrombin generation as observed in plasma after recalcification in presence of RVV. The mechanism studied is mathematically modelled as a system of differential-algebraic equations (DAEs). Each candidate model contains some freedom, which is expressed in the model equations by the presence of unknown parameters. For example, reaction constants or initial concentrations are unknown. The goal of parameter estimation is to determine these unknown parameters in such a way that the theoretical (i.e., computed) results fit the experimental data within measurement accuracy and to judge which modifications of the chemical reaction scheme allow the best fit. The authors present results on model discrimination and estimation constants, which are hard to obtain in another way.

Mathematical Models; Blood Coagulation; Simulation; Chemical Reactions; Numerical Analysis

20000048617 Army Research Inst. of Environmental Medicine, Natick, MA USA

Thermoregulatory and Immune Responses During Cold Exposure: Effects of Repeated Cold Exposure and Acute Exercise

Castellani, John W.; Young, Andrew J.; Sawka, Michael N.; Shek, Pang N.; Brenner, Ingrid K.; Mar. 2000; 105p; In English; Prepared in collaboration with the Defence and Civil Institute of Environmental Medicine, Toronto, Canada.

Report No.(s): AD-A375860; No Copyright; Avail: CASI; A06, Hardcopy; A02, Microfiche

Whether or not the thermoregulatory system fatigues (i.e., causes blunted shivering thermogenesis and vasoconstriction) during cold exposure is unknown. Thus, a series of experiments were executed to determine if serial cold water immersion or acute exertional fatigue would cause thermoregulatory fatigue during subsequent cold exposure. This information will be used in developing thermoregulatory models during cold exposure. During these studies several unanswered questions regarding thermoregulation in the cold were also addressed: (1) do thermoregulatory responses to cold show fatigue when prolonged cold water exposures are serially repeated? (2) are thermoregulatory effector responses to cold affected by time of day? (i.e., circadian influences); (3) does a single acute, fatiguing exercise bout impair thermoregulatory responses to subsequent cold exposure? and (4) does fatigue induced by severely strenuous physical activity compromise the immune response to cold exposure? The results of these studies suggest that: (1) serial cold water blunts shivering leading to lower core temperatures, (2) thermoregulatory effector responses are not affected by time of day, (3) exercise increases peripheral heat loss and lowers core temperature during subsequent cold exposure, and (4) that acute cold exposure has immununostimulating effects.

Temperature Control; Exposure; Physiological Responses; Thermoregulation; Water Immersion; Shivering

20000052125 Civil Aeromedical Inst., Oklahoma City, OK USA

The Evaluation of In-Flight Medical Care Aboard Selected US Air Carriers: 1996 to 1997 Final Report

Dejohn, Charles A., Civil Aeromedical Inst., USA; Veronneau, Stephen J. H., Civil Aeromedical Inst., USA; Wolbrink, Alex M., Civil Aeromedical Inst., USA; Larcher, Julie G., Civil Aeromedical Inst., USA; Smith, David W., Oklahoma Univ., USA; Garrett, Joan, MedAire, Inc., USA; May 2000; 32p; In English

Contract(s)/Grant(s): DTFA02-97-P-53665; AM-B-97-TOX-203

Report No.(s): DOT/FAA/AM-00/13; No Copyright; Avail: CASI; A03, Hardcopy; A01, Microfiche

Medical care in-flight and the FAA-mandated medical kit have been studied for many years. This study includes a detailed correlation between in-flight medical care, patient response in-flight, and post-flight follow-up, in an effort to evaluate in-flight medical care delivery on US airlines and re-evaluate the FAA-mandated in-flight medical kit. A survey of five US domestic air carriers from October 1, 1996, to September 30, 1997, showed 1132 in-flight medical incidents. These airlines accounted for approximately 22% of scheduled US domestic enplanements during the period. There was good overall agreement between in-flight and post-flight diagnoses (70% of cases), and passenger condition improved in a majority of cases (60%), suggesting that in-flight diagnoses were generally accurate and treatment was appropriate. Results indicated that bronchodilator inhalers, oral antihistamines, and non-narcotic analgesics, all of which were obtained from other passengers, were used frequently enough to support a suggestion to include them in the medical kit.

Author

Airline Operations; Air Transportation; In-Flight Monitoring; Crew Procedures (Inflight); Medical Services

20000052604 NASA Langley Research Center, Hampton, VA USA

Aerospace Medicine and Biology: A Continuing Bibliography With Indexes, Supplement 500

May 2000; 48p; In English

Report No.(s): NASA/SP-2000-7011/Suppl500; NAS 1.21:7011/Suppl500; No Copyright; Avail: CASI; A03, Hardcopy; A01, Microfiche

This report lists reports, articles and other documents recently announced in the NASA STI Database,

Derived from text

Aerospace Medicine; Bibliographies; Data Bases; Indexes (Documentation)

20000057163 Army Research Inst. of Environmental Medicine, Natick, MA USA

Effects of a Shoulder Harness on Litter Carriage Performance and Post-Carry Fatigue of Men and Women

Rice, Valerie J.; Sharp, Marilyn A.; Tharion, William J.; Williamson, Tania; Nov. 1999; 76p; In English

Report No.(s): AD-A373047; USARIEM-T-00-7; No Copyright; Avail: Defense Technical Information Center (DTIC)

The purpose of this study was to determine whether an ergonomically designed harness would improve soldier performance during and after litter carrying. Two litter carrying tasks were used: 1) a simulated mass casualty task; carrying and loading as many patients as possible within 15 mins and 2) a simulated removal from a remote site, carrying the litter at a constant rate of 4.8 km/hr for as long as possible, up to 30 min. Each task used a repeated measures design to determine differences in harness use, team size, and gender. Soldiers (12 men and 11 women) were measured on the following measures: rifle marksmanship, a fine motor task, heart rate and oxygen uptake while litter carrying, time of carry, number of carries, and ratings of perceived exertion. During the mass casualty task, men carried and loaded more patients than women (18 vs. 14 carries), and women reported greater soreness/discomfort than men post-carry. Using a harness resulted in faster fine-motor performance (47.6 vs. 46.1 sec) and lower subjective ratings of physical symptoms than with a hand carry.

DTIC

Aerospace Medicine; Shoulders; Harnesses

2000057301 NASA Johnson Space Center, Houston, TX USA

Effect of In-Flight Exercise and Extravehicular Activity on Postflight Stand Tests

Lee, Stuart M. C., Wyle Labs., Inc., USA; Moore, Alan D., Jr., Wyle Labs., Inc., USA; Fritsch-Yelle, Janice, NASA Johnson Space Center, USA; Greenisen, Michael, NASA Johnson Space Center, USA; Schneider, Suzanne M., NASA Johnson Space Center, USA; Foster, Philip P., Baylor Coll. of Medicine, USA; May 2000; 30p; In English

Contract(s)/Grant(s): NAS9-18492

Report No.(s): NASA/TM-2000-210185; NAS 1.15:210185; S-860; No Copyright; Avail: CASI; A03, Hardcopy; A01, Microfiche

The purpose of this study was to determine whether exercise performed by Space Shuttle crewmembers during short-duration spaceflights (9-16 days) affects the heart rate (HR) and blood pressure (BP) responses to standing within 2-4 hr of landing. Thirty

crewmembers performed self-selected in-flight exercise and maintained exercise logs to monitor their exercise intensity and duration. A 10min stand test, preceded by at least 6 min of quiet supine rest, was completed 10- 15 d before launch (PRE) and within four hours of landing (POST). Based upon their in-flight exercise records, subjects were grouped as either high (HIex: = 3x/week, HR = 70%, HRMax, = 20 min/session, n = 11), medium (MEDex: = 3x/week, HR = 70% HRmax, = 20 min/session, n = 10), or low (LOex: = 3x/week, HR and duration variable, n = 11) exercisers. HR and BP responses to standing were compared between groups (ANOVA, or analysis of variance, P is less than 0.05). There were no PRE differences between the groups in supine or standing HR and BP. Although POST supine HR was similar to PRE, all groups had an increased standing HR compared to PRE. The increase in HR upon standing was significantly greater after flight in the LOex group (36+/-5 bpm) compared to HIex or MEDex groups (25+/-1bpm; 22+/-2 bpm). Similarly, the decrease in pulse pressure (PP) from supine to standing was unchanged after spaceflight in the MEDex and HIex groups, but was significantly less in the LOex group (PRE: -9+/- 3, POST: -19+/- 4 mmHg). Thus, moderate to high levels of in-flight exercise attenuated HR and PP responses to standing after spaceflight compared.

Author

Blood Pressure; Extravehicular Activity; Heart Rate; Physical Exercise; Spacecrews; Gravitational Physiology; Hemodynamic Responses; Blood Circulation; Gravitational Effects

2000057466 Civil Aeromedical Inst., Oklahoma City, OK USA

DNA-Based Detection of Ethanol-Producing Microorganisms in Postmortem Blood and Tissues by Polymerase Chain Reaction Final Report

Vu, Nicole T., Civil Aeromedical Inst., USA; Chaturvedi, Arvind K., Civil Aeromedical Inst., USA; Canfield, Dennis V., Civil Aeromedical Inst., USA; Soper, John W., Civil Aeromedical Inst., USA; Kupfer, Doris M., Oklahoma Univ., USA; Roe, Bruce A., Oklahoma Univ., USA; May 2000; 14p; In English

Contract(s)/Grant(s): AM-B-97-TOX-202; AM-B98-TOX-202; AM-B-99-TOX-202; AM-B-00-TOX-202

Report No.(s): DOT/FAA/AM-00/16; No Copyright; Avail: CASI; A03, Hardcopy; A01, Microfiche

Forensic investigation of fatal aircraft accidents usually includes the analysis of biological samples for ethanol to establish if alcohol intoxication is a factor in the accidents. The quantitative aspects of ethanol are often complicated by postmortem putrefactive changes, leading to microbial fermentation-mediated production of alcohol and its subsequent redistribution. Without establishing the ethanol origin (antemortem consumption or postmortem production), a precise interpretation of the alcohol analytical results remains a challenge. Therefore, a DNA-based assay was developed using the polymerase chain reaction and microbial DNA primers designed for identifying 3 commonly encountered ethanol-producing microorganism-Candida albicans, Proteus vulgaris, and Escherichia coli. The present study focused on examining the applicability of the microbial DNA primers in establishing the existence of postmortem alcohol in samples. The results suggested that species- speci'fic primers could be employed to identify ethanol-producing microorganisms in forensic samples without requiring bacterial cultivation. Continued studies are warranted to define additional primer sequences that are distinctive for ethanol-producing microorganisms. Author

Deoxyribonucleic Acid; Ethyl Alcohol; Sequencing; Fermentation; Microorganisms

53 BEHAVIORAL SCIENCES

Includes psychological factors; individual and group behavior; crew training and evaluation; and psychiatric research.

2000053012 Naval Air Warfare Center, Aircraft Div., Patuxent River, MD USA

Improving Aircrews' Crosscheck of Flight Instruments when Using NVGs. HFM Workshop on "What is Essential for Virtual Reality to Meet Military Performance Goals"

Antonio, Joseph; Jan. 2000; 2p; In English

Report No.(s): AD-A375769; No Copyright; Avail: CASI; A01, Hardcopy; A01, Microfiche

Current ground-based introductory night vision goggle (NVG) training consists of classroom lectures, hands-on adjustment training, terrain board demonstrations, and, for a few platforms, simulator training. The content of the lectures was developed jointly between the USAF and USN and is standardized for all platform types. NVG video sequences of actual events are integrated with the lectures to support verbal descriptions of operationally relevant concerns, such as illusion and misperceptions. Terrain boards are used to demonstrate visual phenomena specific to the NVG image resulting from the intensification process. NVG-capable simulators provide for good "system integration" training (e.g., looking beneath the NVG at cockpit instruments, scanning the outside scene, etc.), but due to inadequacies with the simulated imagery, there are serious limitations to "visual"

training. Consequently, terrain board demonstrations continue to be the best method of demonstrating many of the NVG image characteristics. There is currently no "table-top" computer training available for reinforcing some of the more important NVG lessons learned from operational experience and mishaps.

DTIC

Virtual Reality; Flight Crews; Flight Instruments; Goggles; Night Vision

20000053527 Legacy Good Samaritan Hospital, Neurotology Research, Portland, OR USA

Otolith and Vertical Canal Contributions to Dynamic Postural Control Final Report, 1 Sep. 1993 - 31 Aug. 1999 Black, F. Owen, Legacy Good Samaritan Hospital, USA; [1999]; 16p; In English

Contract(s)/Grant(s): NAG5-6329; No Copyright; Avail: CASI; A03, Hardcopy; A01, Microfiche

The objective of this project is to determine: 1) how do normal subjects adjust postural movements in response to changing or altered otolith input, for example, due to aging? and 2) how do patients adapt postural control after altered unilateral or bilateral vestibular sensory inputs such as ablative inner ear surgery or ototoxicity, respectively? The following hypotheses are under investigation: 1) selective alteration of otolith input or abnormalities of otolith receptor function will result in distinctive spatial, frequency, and temporal patterns of head movements and body postural sway dynamics. 2) subjects with reduced, altered, or absent vertical semicircular canal receptor sensitivity but normal otolith receptor function or vice versa, should show predictable alterations of body and head movement strategies essential for the control of postural sway and movement. The effect of altered postural movement control upon compensation and/or adaptation will be determined. These experiments provide data for the development of computational models of postural control in normals, vestibular deficient subjects and normal humans exposed to unusual force environments, including orbital space flight.

Author

Otolith Organs; Abnormalities; Dynamic Control; Semicircular Canals; Sensitivity; Vestibules

20000054667 Institute for Human Factors TNO, Soesterberg, Netherlands

How to Compose a PsyOps Message: The Effects of Involvement and Information Source on Persuasion Interim Report Hoe Stel je een PsyOps Boodschap Samen: De Effecten van Betrokkenheid en Informatiebron op Overtuiging

Griffioen-Young, H. J., Institute for Human Factors TNO, Netherlands; Apr. 04, 2000; 23p; In English

Contract(s)/Grant(s): A98/CO/385; TNO Proj. 791.2

Report No.(s): TD-2000-0131; TM-00-A025; Copyright; Avail: Issuing Activity

In the literature on psychological operations (PsyOps) much attention is paid to various methods of influencing people's attitudes and behavior. In both military and civilian bodies of literature, discussions can be found of specific incidences of the use of PsyOps methods to reach goals using means other than traditional armed conflict. However, very little literature is available in which the effectiveness of various PsyOps methods is critically evaluated or in which the theory behind the development of PsyOps methods is discussed. As a result, it would seem that both the development and implementation of PsyOps occur in a rather arbitrary and haphazard fashion based mostly on an unsystematic trial and error attempts. In the present study, a more systematic approach is taken to examine written PsyOps materials, such as pamphlets which may be distributed to an audience. Specifically, the present study investigates the role of the audience's involvement with the topic under consideration and the source from which persuasive information comes. Participants read three arguments supporting a particular standpoint for each of three topics, which varied in audience involvement. Participants then indicated the degree to which they supported each of the topics. Participant's attitudes on the various topics before versus after reading the arguments were assessed. The results show that when involvement is moderate to high, persuasion is primarily determined by perceived argument strength. Alternatively, when involvement is low, argument strength is of little consequence: attitude change appears to be determined by simply reading about a particular viewpoint. The results are discussed in terms of the theoretical and practical implications and practical tips are offered for developing written PsyOps messages.

Author

Psychology; Human Behavior

2000054784 Defence Procurement Agency, Eurofighter Requirements, Bristol, UK

Interactive Hybrid Environment Training

Sullivan, John M., Defence Procurement Agency, UK; Flight Simulation - The Next Decade: Proceedings; [2000], pp. 3.1 - 3.8; In English; See also 20000054782; Copyright; Avail: Issuing Activity

The UK requirement for Eurofighter Typhoon Aircrew Synthetic Training Aids (ASTA) was determined by 2 Training Needs Analyses (TNAs). Subsequent to the conclusion of these comprehensive studies, the doctrine of the UK Armed Forces was fundamentally reviewed to reflect the emerging perception of the military capability demanded by the change in global politics,

alliances and attitudes that accompanied the end of the Cold War. Accordingly, an appraisal of the previous TNAs was conducted during 1999, to ensure their continued relevance. In attempting to determine the most appropriate medium with which to address the total training task for EF pilots, it became apparent that there were fundamental limitations in the training that can be delivered by both real and synthetic regimes in isolation. However, a capability to merge these training regimes could mitigate these inherent weaknesses and draw upon the strengths of each to create a holistic training environment. This paper represents the personal vision of the author and does not reflect current MOD procurement or training policy. Although the EF programme is used consistently for illustrative purposes, the concept is equally applicable to all modem, high-performance combat aircraft.

Aircraft Performance; Education; Policies; Tasks; Training Analysis

2000054787 Virgin Atlantic Airways, Crawley, UK

Flight Crew Training Needs for the Future

Pugh, John, Virgin Atlantic Airways, UK; Wood, Simon J., Virgin Atlantic Airways, UK; Flight Simulation - The Next Decade: Proceedings; [2000], pp. 10.1 - 10.6; In English; See also 20000054782; Copyright; Avail: Issuing Activity

The current JAA training regulations present an imbalance of emphasis of training requirements versus modem air transport operations and identified causes of aircraft accidents and incidents. Compared with the 1960's, today's air transport carriers operate in areas of high aircraft density, in worse weather and in higher frequency to areas of inhospitable terrain. Advances in technology have resulted in more reliable aircraft systems that fail, mechanically, less often but these advances have introduced problems in man-machine interface and the management of complex computer controlled systems. Training and checking for events covering mechanical failures are stipulated in detail whereas environmental factors and system management failures are only stipulated within the context of a broad collection of categories from which the operator may choose a minimum number at random. This creates an imbalance in emphasis within the training regulations. The task and operation of modem air transport has grown, training requirements have not grown in pace.

Author

Regulations; Numerical Control; Man Machine Systems; Flight Training; Failure; Education; Control Systems Design; Complex Systems

20000054790 Embry-Riddle Aeronautical Univ., Daytona Beach, FL USA

Aviation Instruction Through Flight Simulation: Enhancing Pilot Decision-Making Skills

Green, Mavis F., Embry-Riddle Aeronautical Univ., USA; Flight Simulation - The Next Decade: Proceedings; [2000], pp. 13.1 - 13.8; In English; See also 20000054782; Copyright; Avail: Issuing Activity

Information was collected from collegiate aviation programs to answer the research question: What type(s) of learning best explain how learners are socialized to aviation through the use of simulation technology? This is important because the use of appropriate educational strategies in training devices could provide ways to enhance pilot judgement as well as increase technical skills. Data from this study showed confusion and inconsistency on the parts of instructors implementing this instruction. Risk perception is identified as an important element in choosing instructional strategies. Cognitive apprenticeship is explored as an appropriate type of learning in high-risk fields.

Author

Decision Making; Education; Systems Simulation; Transfer of Training

20000054791 Thomson Training and Simulation Ltd., Crawley, UK

The Future and Technology of Remote Training 'Bringing Training to the Pilot'

White, David, Thomson Training and Simulation Ltd., UK; Flight Simulation - The Next Decade: Proceedings; [2000], pp. 14.1 - 14.8; In English; See also 20000054782; Copyright; Avail: Issuing Activity

The advances in Personal Computer (PC) processing power, graphics and network bandwidth are providing an environment that allows the full range of Full Flight Simulator (FFS) functionality & fidelity to be accessed from a laptop PC. The latest generation of Thomson Training & Simulation (TT&S) Flight Management System Trainers (FMST), Enhanced Situation Awareness Trainers (ESAT) and Cockpit System Trainers (CST) also encompass provision for access via a modem or Internet connection. This enables them to be used as 'remote learning and practice' facilities which do not require the pilot to travel to the 'Airline Training Center'. Since these technologies will no doubt subsequently influence the training methods and type of training equipment delivered in the next decade, this paper discusses the technologies employed, the first feedback from the beta trials and the lessons learned. During late 1999 TT&S and Honeywell Aviation Services set-up a beta site to start testing the principles of remote 'practice'. Initial prototype testing has subsequently confirmed that the PC processing power, graphics and network bandwidth are not a problem. However the issues generated by the variation in network latency 'Jitter' when closing the loop over

a commercial Internet Service Provider (ISP) connection, especially over Trans-Atlantic or Trans-Pacific connections, can be somewhat problematic. The emphasis has been on evaluating the technology for use in remote learning and practice at this juncture, the next stage envisages the training community and regulatory bodies assessing the methodology and fidelity of these devices for inclusion in both established and newly generated approved training programs.

Author

Training Devices; Prototypes; Management Systems; Flight Management Systems

2000054806 Thomson Training and Simulation Ltd., Crawley, UK

Collective Training: Virtually a Reality or Still Over the Horizon?

Aylward, Mark, Thomson Training and Simulation Ltd., UK; Flight Simulation - The Next Decade: Proceedings; [2000], pp. 31.1 - 31.9; In English; See also 20000054782; Copyright; Avail: Issuing Activity

Collective training has been talked about as the future direction of military synthetic training for the past few years. Most UK flight simulation programmes contracted in the last five years have had some form of networking requirement included. Industry has invested in and delivered real time networking technologies. In the ground training environment CATT continues development. In the US the No-Can-Pay milestone for HLA compliance passed at the start of 1999. The No-Can-Play milestone will be passed in 2001. But are we really any closer to realising the 'train-as-we-fight' ethic in the UK air domain? What exactly do collective training and DIS or HLA compliance mean? Can this capability really be retrofitted to existing systems? Are we prepared for the implications of delivering collective training? How does collective training fit in with the supply of training services via the Public-Private-Partnership? Should we invest in technical developments to support a capability, which may rarely (or never) be used in anger? Just what will it take to make air domain collective training in the UK a reality? This paper will examine the issues raised above, attempt to answer some of the questions and propose some alternatives, which may come to fruition in the next decade.

Author

Real Time Operation; Flight Simulation; Networks; Teams; Training Analysis

20000054873 Institute for Human Factors TNO, Soesterberg, Netherlands

Development and Needs Statement for Advanced Training Systems *Interim Report Stappenplan voor de Behoeftestelling* Verstegen, D. M. L., Institute for Human Factors TNO, Netherlands; Barnard, Y. F., Institute for Human Factors TNO, Netherlands; vanderHulst, A. H., Institute for Human Factors TNO, Netherlands; Sabel, A. A., Institute for Human Factors TNO, Netherlands; Mar. 16, 2000; 50p; In Dutch

Contract(s)/Grant(s): A99/KL/326; TNO Proj. 790.1

Report No.(s): TD-2000-0126; TM-00-A020; Copyright; Avail: Issuing Activity

This report describes the work of workpackage 3 of the project "GOLM-ontwikkeling", a project about the development of a needs statement for advanced training systems for the Dutch Army. Based on the analysis of available (theoretical and empirical) knowledge and discussions with domain experts a methodology has been developed. This methodology will lead users step by step through the process of developing a needs statement, based on global specifications and requirements and a first estimation of the required (financial and other) means. The methodology offers a structured and standardized way to develop such a needs statement. This does not mean the development process will always be the same: based on, for example the complexity of the domain and the amount of information available, steps will take more or less time, some steps will sometimes get less emphasis or will be only partly executed.

Author

Education; Training Simulators; Military Operations

20000057291 York Univ., Ontario Canada

Visual and Auditory Sensitivities and Discriminations Final Report, 15 Dec. 1996 - 14 Dec. 1999

Regan, David; Feb. 2000; 106p; In English Contract(s)/Grant(s): F49620-97-1-0051

Report No.(s): AD-A376091; AFRL-SR-BL-TR-00-0124; No Copyright; Avail: CASI; A06, Hardcopy; A02, Microfiche

Errors in judging absolute time to collision using monocular information alone range from 2 to 12% and from 2.5 to 10% using binocular information alone, but only 1.3 to 2.7% using the combination. For small targets, judgements are based entirely on binocular information. Individuals make large errors in judging absolute time to collision with a rotating nonspherical object when judgements are based on monocular information, but not when binocular information is provided. When simulating closure with a textured object, systematic errors in judging time to collision can occur if the rates of expansion of texture element size and object size are not matched exactly. Exposure to expanding images produces errors in judging time to collision that may cause

errors in NOE flight and may be a cause of rear-end highway collisions. The human visual system does contain binocular mechanisms sensitive to speed. Simulated objects can be seen and recognized entirely on the basis of texture differences. The physiological limit for locating a texture-defined boundary is 1.7 to 2.4 min are, and visual acuity for texture-defined gratings is above 7 c/deg. Spatial frequency discrimination threshold is approx. 5% for both texture-defined and luminance-defined gratings for frequencies less that 3 - 4 c/deg.

DTIC

Visual Acuity; Visual Perception; Auditory Perception; Sensitivity; Discrimination; Flight Simulators; Collision Avoidance

20000057496 Institute for Human Factors TNO, Soesterberg, Netherlands

Toward Tailored Team Training: The Effect of Interaction-Specific and Interaction-Generic Cross-Training Instruction on the Performance of Teams Working With an Open or Fixed Team Task Structure Final Report

Bots, M. J., Institute for Human Factors TNO, Netherlands; Schaafstal, A. M., Institute for Human Factors TNO, Netherlands; Riemersma, J. B. J., Institute for Human Factors TNO, Netherlands; Mar. 11, 2000; 58p; In English

Contract(s)/Grant(s): B00-052; TNO Proj. 790.2

Report No.(s): TD-2000-0134; TM-00-8005; Copyright; Avail: Issuing Activity

Despite the often implicit acknowledgement that team training programs should take differences between teams into account, relatively few studies have systematically investigated what kind of team training method is optimal, given certain team and task characteristics. In order to gain more knowledge about how team training should be designed to fit specific characteristics of the team task, an experiment was carried out in which the effect of two cross-training instructions was examined on the performance of teams working with an open and fixed task structure. Teams working with an open task structure can be characterized by a high degree of overlap between the tasks and responsibilities of individual team members. Working with an open task structure requires from team members to allocate tasks, choose their own team strategy and organize their working interactions with a minimum of prescribed procedures. Teams working with a fixed task structure can be characterized by clear task distinctions between specialized team members. Working with a fixed task structure requires from team members to follow a predetermined team strategy and to interact with each other according to prescribed rules, procedures and routines. Based on acquired knowledge of the learning of teams, the expectation was that an interaction-generic cross-training instruction, consisting of general rules and guidelines, would be more appropriate for teams working with an open task structure. Expected was that an interaction-specific cross-training instruction, consisting of specific rules and procedures, would be the best training method for teams with a fixed task structure. The results of the present study show that an interaction-generic cross-training instruction is the best training method for teams working with an open task structure. When compared with teams receiving no explicit cross-training, the results also indicate that teams characterized by an open task structure benefit more from a tailored cross-training instruction (which in their case is interaction-generic) than teams characterized by a fixed task structure. Furthermore the present study demonstrates that the opportunity to practice in a certain task structure influences the effect of the cross-training instruction on certain aspects of team performance, such as the ability of teams to adapt to changes in task structure and the amount of errors made. The results of this study will be discussed in terms of their relevance to the design of effective training interventions taking relevant team task characteristics into account.

Author

Education; Teams; Human Performance

20000057497 Institute for Human Factors TNO, Soesterberg, Netherlands

Team Effectivity in Future Maritime Command Interim Report Teamfunctioneren in Toekomstige Maritieme Commandovoering

Essens, P. J. M. D., Institute for Human Factors TNO, Netherlands; Rasker, P. C., Institute for Human Factors TNO, Netherlands; Post, W. M., Institute for Human Factors TNO, Netherlands; Hoeksema–vanOrden, C. Y. D., Institute for Human Factors TNO, Netherlands; Mar. 08, 2000; 50p; In Dutch

Contract(s)/Grant(s): A98/KM/342; TNO Proj. 791.1

Report No.(s): TD-00-0120; TM-00-A014; Copyright; Avail: Issuing Activity

Under contract of the Royal Netherlands Navy research is being done concerning the organisation and support of future command on board. An overview of critical factors for team effectiveness is given based on an assessment of the current M-frigates and literature data. The result can be organised under three main factors: task organisation, information exchange by communication, and psycho-social aspects of cooperation. It was concluded that in order to be able to respond and anticipate to dynamically complex situations an adaptive distribution of tasks is required in which team members can take over each others tasks (team adaptation). In a first analysis of a hypothetical organisational model with operational experts based on information processing-based task clusters it was concluded that such a clustering provides the opportunity for team adaptation. The subteams

should be small with multi-functionally trained team members. The role of a process supervisor in the subteams may become crucial for direction and communications between the teams. The consequences of new forms of work organisation will be analysed and quantified in subsequent studies. Besides the analysis of operational consequences, the required personnel qualifications and training requirements will be assessed. For the study of the operational effects a modelling environment will be developed. The basis for such a model is described here.

Author

Teams; Personnel Development; Education; Data Processing

20000057510 Institute for Human Factors TNO, Soesterberg, Netherlands

Points of Departure for Future Maritime Command and Control: Human and Organizational Factors Interim Report Uitgangspunten voor een Toekomstige Maritieme Commandovoering: Mens- en Organisatiefactoren

Essens, P. J. M. D., Institute for Human Factors TNO, Netherlands; vanDelft, J. H., Institute for Human Factors TNO, Netherlands; Mar. 06, 2000; 16p; In Dutch

Contract(s)/Grant(s): A98/KM/342; TNO Proj. 791.1

Report No.(s): TD-00-0119; TM-00-A013; Copyright; Avail: Issuing Activity

For the Royal Netherlands Navy a research program is initiated - the Command Study - to develop and analyse new concepts of command and control on board of a naval platform with a view to future operational and task requirements and reduced manning. As a first approach a vision was developed and related critical issues were identified. The vision is that new ways of command can be realised by reduction of vertical command and control levels and by integration of operational tasks. Its feasibility depends on the realization of a number of critical requirements, such as situational data integration, tactical treat analysis, quickening anticipation and reaction times, whether people are able to perform different warfare tasks in parallel, whether work load peaks can be dynamically distributed in the organization, and complex skills can be acquired and maintained efficiently.

Author

Command and Control; Human Factors Engineering; Navy

2000057514 Oklahoma Univ., Norman, OK USA

Guidelines for Bootstrapping Validity Coefficients in ATCS Selection Research Final Report

Russell, Craig J., Oklahoma Univ., USA; Dean, Michelle, Oklahoma Univ., USA; Broach, Dana, Civil Aeromedical Inst., USA; May 2000; 50p; In English

Contract(s)/Grant(s): AM-97-B-HRR-509

Report No.(s): DOT/FAA/AM-00/15; No Copyright; Avail: CASI; A03, Hardcopy; A01, Microfiche

This technical report are: 1) reviews the literature on bootstrapping estimation procedures and potential applications to the selection of air traffic control specialists (ATCSs), 2) describes an empirical demonstration of procedures for estimating the sample size required to demonstrate criterion-related validity in ATCS selection, and 3) provides summary guidelines and recommendations for estimating sample size requirements in ATCS selection test validation using bootstrapping procedures under conditions of direct and indirect range restriction. Bootstrapping estimates the sampling distribution of a statistic by iteratively resampling cases from a set of observed data. Confidence intervals are constructed for the statistic, providing an empirical basis for inferential statements about the likely magnitude of the statistic. Correlations between scores on the written ATCS aptitude test battery and subsequent performance in initial qualification training for a large sample of 10,869 controllers hired between 1986 and 1992 were bootstrapped in an empirical demonstration of the methodology. Finally, a three-step sequence of procedures is described for use in future bootstrap estimates of confidence intervals. Recommendations for sample size requirements in future ATC criterion validity studies include: 1. Results suggest samples of at least N = 175 to ensure the 90% confidence interval for r(sub xy) does not contain 0. 2. Assumptions of bivariate normality in traditional parametric estimation procedures are ot justified in the current data. Note that this observation may result in confidence intervals that are wider or narrower for any given sample size than intervals obtained from traditional parametric estimation. 3. Corrections for direct range restriction did not substantively influence whether the bootstrapped 90% confidence interval contained 0. Future applications should assess whether this holds true. 4. Given the apparent absence of bivariate normality in the current data, similar bootstrapping procedures should be used to assess whether the 90% confidence intervals for rho - rho(sub 0) and R(sub Y.X1X2) - R(sub Y.X1) contain 0. Overall, the results suggest that bootstrapping of validity coefficients in controller selection research may be technically feasible. However, legal considerations may limit practical use of the methodology until accepted professional guidelines, standards, and principles are revised to accommodate innovative methodologies.

Author

Estimating; Procedures; Qualifications; Psychological Tests; Criteria

54 MAN/SYSTEM TECHNOLOGY AND LIFE SUPPORT

Includes human factors engineering; bionics, man-machine, life support, space suits and protective clothing. For related information see also 16 Space Transportation and 52 Aerospace Medicine..

2000046610 Ljubljana Univ., Fakulteta za Elektrotehniko, Ljubljana, Slovenia

Time Optimal Control of Batch Phases in Biological Wastewater Treatment Casovno Optimalno Vodenje Zakljucevanja faz Biotehnoloskega Sarznega Procesa

Pavselj, Natasa, Ljubljana Univ., Slovenia; Hvala, Nadja, Jozef Stefan Inst., Slovenia; Kocijan, Jus, Ljubljana Univ., Slovenia; Ros, Milenko, Kemijski Institut, Slovenia; Electrotechnical Review; 2000; ISSN 0013-5852; Volume 67, No. 1, pp. 9-15; In Slovak; Copyright; Avail: Issuing Activity

This paper is concerned with control of a sequencing batch reactor (SBR) for wastewater treatment. Compared to continuous processes, this batch reactor is characterised by a more stable process operation, but requires a higher level of process control and automation. An important problem in the operation of SBR is on-line control of batch phases duration. This control function should be applied due to the variable input load which requires an adjustment of phase duration for each batch. In this way, each phase is terminated when corresponding biological reactions are completed. It is expected that such a control strategy improves the quality of the treated water and minimises the energy consumption due to the shortening of the aerobic phase. An obstacle for the application of this control function is the lack of on-line data for following the course of biodegradation processes during the batch. Measurements of wastewater components that are crucial for termination of batch phases are usually performed only by laboratory analyses as sensors in this area are often very expensive or not available at all. Sometimes they are not very reliable or have a too great I and are thus not appropriate for on-line control, to overcome this problem, the control strategy in this paper is based on some simple indirect process measurements that could be related to the course of biodegradation processes. Namely, laboratory experiments have shown that on-line measurements of the dissolved oxygen concentration, redox potential and pH contain some characteristic patterns that indicate the end of biodegradation processes. In particular, the dissolved oxygen breakpoint could be used to define the termination time of the aerobic phase, while nitrate knee is used to detect the end algorithm is based on heuristic rules that act on the derivative of filtered signals. The proposed control procedure was tested on a laboratory pilot plant supported by an experimental computer supported environment. The environment is designed in such a way that the control algorithms designed in the MATLAB package could be immediately applied and tested on the pilot plant. On-line testing of the proposed procedure, supported by laboratory measurements, showed a good agreement of the computed times for the termination of batch phases with those corresponding to the actual termination of biodegradation processes.

Author

Time Optimal Control; Waste Water; Water Treatment; Sequencing; Biodegradation; Algorithms

20000048257 NASA Johnson Space Center, Houston, TX USA

Skin Temperatures During Unaided Egress: Unsuited and While Wearing the NASA Launch and Entry or Advanced Crew Escape Suits

Woodruff, Kristin K., Wyle Labs., Inc., USA; Lee, Stuart M. C., Wyle Labs., Inc., USA; Greenisen, Michael C., NASA Johnson Space Center, USA; Schneider, Suzanne M., NASA Johnson Space Center, USA; March 2000; 44p; In English

Report No.(s): NASA/TM-2000-209761; NAS 1.15:209761; S-853; No Copyright; Avail: CASI; A03, Hardcopy; A01, Microfiche

The two flight suits currently worn by crew members during Shuttle launch and landing, the Launch and Entry Suit (LES) and the Advanced Crew Escape Suit (ACES), are designed to protect crew members in the case of emergency. Although the Liquid Cooling Garment (LCG) worn under the flight suits was designed to counteract the heat storage of the suits, the suits may increase thermal stress and limit the astronaut's egress capabilities. The purpose of this study was to assess the thermal loads experienced by crew members during a simulated emergency egress before and after spaceflight. Comparisons of skin temperatures were made between the preflight unsuited and suited conditions, between the pre- and postflight suited conditions, and between the two flight suits.

Author

Egress; Garments; Heat Storage; Liquid Cooling; Thermal Stresses; Performance Tests

2000048388 Maryland Univ., College Park, MD USA

Design of a Power-Assisted Spacesuit Glove Actuator

Howard, Russell D., Maryland Univ., USA; 34th Aerospace Mechanisms Symposium; May 2000, pp. 89-102; In English; See also 20000048380; No Copyright; Avail: CASI; A03, Hardcopy; A04, Microfiche

This paper presents the details of the design and implementation of an electromechanical power-assisted spacesuit glove actuator. The project was a joint effort by the University of Maryland's Space Systems Laboratory and ILC Dover, Inc., and involved innovative approaches to power augmentation and compact actuator packaging. The first actuator built validated several basic design concepts, and the second demonstrated improved performance and met many of the goals for flight qualification of the technology.

Author

Design Analysis; Electromechanical Devices; Space Suits; Gloves; Actuators

20000048615 Naval Air Warfare Center, Aircraft Div., Patuxent River, MD USA

Development of the U.S. Navy Advanced Personal Air Conditioning System (APACS)

Kaufman, Jonathan; Jan. 1999; 6p; In English

Report No.(s): AD-A375855; No Copyright; Avail: CASI; A02, Hardcopy; A01, Microfiche

This paper describes the technology behind the development of the USN APACS man-mounted cooling system, a key component of HAILSS. APACS represents a lightweight, man-mounted cooling system for aircrews requiring no airframe modifications. This system is suitable for all crew stations and can be used during preflight inspections or by nonflying personnel. DTIC

Cooling; Air Conditioning Equipment; Protective Clothing; Technology Assessment

20000048822 Aeronautical Systems Div., Directorate of Flight Systems Engineering, Wright-Patterson AFB, OH USA B-1B Human Factors Baseline Study Report Final Report, 1 Mar. - 31 Oct. 1999

Kalman, William G.; Kline, Jane M.; Provost, Scott; Gable, Beverly A.; Taylor, Christopher R.; Nov. 1999; 101p; In English Report No.(s): AD-A375841; ASC-TR-1999-5007; No Copyright; Avail: CASI; A02, Microfiche; A06, Hardcopy

A Human Factors study was conducted on B-1B Blocks D, E, and F. The 1st study objective was to evaluate B-1B Blocks D, E, and F crew workload and situational awareness. The 2nd objective was to establish a measurable crew performance baseline for future B-1B Block upgrades. These objectives were studied in the B-1B Engineering Research Simulator (ERS) in a simulated full mission environment using eight B-1B crews. After training, the crews flew two missions. Workload and situational awareness were measured, a questionnaire was given, and all missions were video taped. Human Factors improvements were recommended. DTIC

Human Factors Engineering; Human Performance

20000052258 Naval Aerospace Medical Research Lab., Pensacola, FL USA

Aircrew Modified Equipment Leading to Increased Accommodation (AMELIA) Summary

Bransdorfer, A. H.; Johnson, K. R.; Dec. 22, 1999; 22p; In English

Contract(s)/Grant(s): Proj-

Report No.(s): AD-A375339; NAMRL-TM-99-01; No Copyright; Avail: CASI; A03, Hardcopy; A01, Microfiche

Aviation life support systems (ALSS) equipment is a critical and essential component for mission success in naval aviation. Anecdotal comments by naval aircrews have indicated that ALSS equipment is perceived as ill-fitting and substandard. Additionally, many aircrews in naval aviation are not satisfied with current urine collection devices (UCDs). The Aircrew Modified Equipment Leading to Increased Accommodation (AMELIA) survey was completed by 2,055 U.S. Navy and Marine Corps aircrew. The sample population included 85 women and 1,970 men. According to the survey results, ALSS equipment appears to fit slightly better than "ok" in all but the anti-exposure suit. The overall performance of current ALSS was rated slightly above the median with the exception of the anti-exposure suit (rated below the median). Aircrews identified the flight suit as the number-one priority with respect to safety, thermal protection, and comfort. The helmet was identified as the number one priority item with respect to survivability. The majority of the sampled aircrew has required the use of urine collection devices (UCDs) during flight. These aircrews selected the piddle pack and relief tube as moderately acceptable solutions for urination during flight. DTIC

Flight Crews; Human Beings; Medical Equipment; Urine

20000053024 Naval Air Warfare Center, Aircraft Div., Patuxent River, MD USA

Current USN/USMC Aircraft Anthropometric Compatibility Issues and the "Street to Fleet" Proposal

Tucker, Heather D.; Brattin, Lori L.; Jan. 2000; 7p; In English

Report No.(s): AD-A375810; No Copyright; Avail: CASI; A02, Hardcopy; A01, Microfiche

Shortcomings of the USN/USMC anthropometric compatibility process have driven a requirement for an improved process, "Street to Fleet". During the course of the NAVAIRSYSCOM (PMA-202) Aircrew Accommodation Expansion Program

(reference I), where AIR 4.6, Patuxent River was tasked to perform accommodation evaluations on in-service USN/USMC inventory, the increased costs associated with safely assigning aviators to an appropriate training curriculum through to their fleet aircraft have been identified. Both the shortcomings and increased costs are due in part to the lack of solid legacy guidance. Currently, four anthropometric measurements receive a "code" that indicates whether a particular candidate is compatible, incompatible, or requires a "fit check". Under current official guidance, a short sitting height is the only anthropometric measurement that receives an incompatible Anthropometric Restriction Code (ARC) with a given aircraft, primarily due to inadequate over the nose visibility. Newer aircraft are designed with the intent of accommodating an increased proportion of anthropometric extremes and these anthropometric parameters are considered simultaneously vice one dimension at a time. Therefore, the process used to screen aviators needs to more closely relate to the specification guidance used to develop the aircraft.

DTIC

Man Machine Systems; Anthropometry; Aircraft Pilots; Compatibility

20000053028 Naval Air Warfare Center, Aircraft Div., Patuxent River, MD USA

Helicopter Aircrew Integrated Life Support System (HAILSS)

Dolinar, Paul; Jan. 2000; 4p; In English

Report No.(s): AD-A375818; No Copyright; Avail: CASI; A01, Hardcopy; A01, Microfiche

The Helicopter Aircrew Integrated Life Support System (HAILSS) Program is a U.S. Navy led effort that began in April 1997 at the Naval Air Warfare Center Aircraft Division (NAWCAD) Patuxent River, MD. The main contractor is Gentex Corporation, Carbondale, PA. The HAILSS ensemble provides CB, anti-exposure and fire protection in single 2-layered impermeable garment, greatly reducing the layers of clothing currently required. Since no comparable system currently exists, it is difficult to compare protection ensembles. However, if you compare the Worst case scenario, up to seven layers of clothing would be required to provide the same level of protection HAILSS offers in just two layers. A more probable comparison of likely worn layers would show a nearly 20% reduction in weight of the HAILSS ensemble versus currently worn systems.

DTIC

Life Support Systems; Flight Crews; Protective Clothing; Protection

20000053091 Wilmer Ophthalmological Inst., Wilmer Ophthalmological Inst., Baltimore, MD USA

Visual Motion Perception Final Report, 15 Mar. 1997-14 Dec. 1998

Turano, Kathleen A.; Mar. 06, 2000; 85p; In English

Contract(s)/Grant(s): F49620-97-1-0028

Report No.(s): AD-A375117; 52-0595110; AFRL-SR-BL-TR-00-0075; No Copyright; Avail: CASI; A05, Hardcopy; A01, Microfiche

In operations of aircraft control or target acquisition, the misperception of motion could produce serious errors in a pilot's performance. Little is known about the human observer's ability to accurately judge the velocity of motion while navigating through an environment containing moving objects or while making eye movements. If we can understand how the perception of motion is affected by the presence of moving objects in the environment or by eye movements, we can then specify viewing requirements based on the perceptual cost/benefits. In this project, the human observer's ability to judge velocity was investigated in two sets of experiments. In the first set of experiments the ability to judge self motion in an environment containing moving objects was investigated using simulated optic flow displays. The effects of object and observer velocity on the ability to discriminate between curvilinear and rectilinear self motion were determined. In the second set of experiments, the ability to judge object velocity while making smooth pursuit eye movements was investigated. The effects of stimulus velocity, size, and eccentricity on velocity perception were determined. The findings from the eye movement experiments led to the development of a model that explains how eye velocity signals combine with visual motion signals to determine the perception of motion. DTIC

Visual Perception; Motion Perception; Perceptual Errors; Display Devices; Visual Stimuli; Target Acquisition; Aircraft Control

2000053487 Jet Propulsion Lab., California Inst. of Tech., Pasadena, CA USA

The Transition from Spacecraft Development of Flight Operation: Human Factor Considerations

Basilio, Ralph R., Jet Propulsion Lab., California Inst. of Tech., USA; [2000]; 7p; In English; No Copyright; Avail: CASI; A02, Hardcopy; A01, Microfiche

In the field of aeronautics and astronautics, a paradigm shift has been witnessed by those in academia, research and development, and private industry. Long development life cycles and the budgets to support such programs and projects has given way to aggressive task schedules and leaner resources to draw from all the while challenging assigned individuals to create and

produce improved products of processes. however, this "faster, better, cheaper" concept cannot merely be applied to the design, development, and test of complex systems such as earth-orbiting of interplanetary robotic spacecraft. Full advantage is not possible without due consideration and application to mission operations planning and flight operations, Equally as important as the flight system, the mission operations system consisting of qualified personnel, ground hardware and software tools, and verified and validated operational processes, should also be regarded as a complex system requiring personnel to draw upon formal education, training, related experiences, and heuristic reasoning in engineering an effective and efficient system. Unquestionably, qualified personnel are the most important elements of a mission operations system. This paper examines the experiences of the Deep Space I Project, the first in a series of new technology in-flight validation missions sponsored by the USA National Aeronautics and Space Administration (NASA), specifically, in developing a subsystems analysis and technology validation team comprised of former spacecraft development personnel. Human factor considerations are investigated from initial concept/vision formulation; through operational process development; personnel test and training; to initial uplink product development and test support. Emphasis has been placed on challenges and applied or recommended solutions, so as to provide opportunities for future programs and projects to address and disposition potential issues and concerns as early as possible to reap the benefits associated with learning from other's past experiences.

Author

Complex Systems; Computer Programs; Education; Flight Operations; Life (Durability); Mission Planning; Personnel Development; Product Development; Spacecraft Design

20000054666 Institute for Nutrition and Food Research TNO, Zeist, Netherlands

Renovation of Military Rations, Part 1, Stability of Canned Meal Interim Report Vernieuwing Rantsoenen, Deel 1, Stabiliteit van Maaltijdsalade in Bussen

vanBoxtel, L. B. J., Institute for Nutrition and Food Research TNO, Netherlands; April 2000; 28p; In Dutch

Contract(s)/Grant(s): A00/KL/103; TNO Proj. 50800.01.02

Report No.(s): TD-2000-283; TNO-Voeding-V-2700; Copyright; Avail: Issuing Activity

Changing operational tasks and new activity areas of the Dutch armed forces puts new requirements on the meal rations used during exercises and peace keeping activities. In that context ideas for new field rations, like dedicated arctic and hot climate field rations, and renovations for existing rations were (and still are) under study last five years For use in rations under 'mild hot' to 'hot conditions' two types of canned meal salads were tested for its fitness for use and stability during storage (Mexican salad and Florentine salad). Composition is more or less in accordance with the nutritional requirements of military rations in hot climates. The stability of the products were tested in an orientating accelerated shelf-life test (storage during 4 months at temperature in the range between 0 and 55 C. The microbiological stability is in order, even under hot conditions ('tropical sterility'). The chemical and/or organoleptical stability is of some concern. At 55 C the eating quality drops rapidly. Storage at that temperature for than 2 months makes the product unfit for consumption. At moderated temperatures (20 C) a shelf-life of about 1 year is predicted.

Author

Armed Forces (Foreign); Rations

20000054874 Institute for Human Factors TNO, Soesterberg, Netherlands

Interior Dimensions of Military Services Cars Final Report Interieurafmetingen Civiele Dienstauto's

Oudenhuijzen, A. J. K., Institute for Human Factors TNO, Netherlands; Mar. 20, 2000; 30p; In Dutch; Original contains color illustrations

Contract(s)/Grant(s): A99/CO/309; TNO Proj. 789.1

Report No.(s): TD-2000-0127; TM-00-A021; Copyright; Avail: Issuing Activity

The vehicles interior dimensions largely determine the possibilities for accommodation of its occupants. Often currently commercially available vehicles are too small for tall Dutch males. Employers encounter problems complying with the Dutch legislation. The Dutch law states that workspaces, and thus vehicles, must accommodate its occupants in an ergonomic acceptable manner. Therefore, the Dutch Army contracted TNO Human Factors Research Institute to determine ergonomic criteria for vehicle interiors (Ellens 1993) to support the vehicle selection process. Today, these criteria need to be updated for several reasons: There are new data available of the Dutch population: the currently used data are outdated caused by the continuing secular trend of acceleration; New, more efficient and more accurate measuring techniques are available for determination of vehicle dimensions. Three activities were carried out: 1. The amount of sink of occupants in car seats was investigated with subjects. The sink increases the available sitting height in cars; 2. The currently used criteria were updated based on available data on Dutch

anthropometry and based on the ongoing secular trend of acceleration; 3. New methods, using digital human modelling techniques, were determined for anthropometric assessments of vehicles.

Author

Human Factors Engineering; Anthropometry; Human Body

20000057022 Department of the Navy, Washington, DC USA

Breathing Apparatus Having Electrical Power Supply Arrangement With Turbine-Generator Assembly

Rudolph, Joseph, Inventor; Hughes, Robert, Inventor; Price, Kenneth, Inventor; Oct. 19, 1999; 6p; In English; Supersedes US-Patent-Appl-SN

Patent Info.: Filed 15 Aug. 1997; US-Patent-Appl-SN-08,919,178; US-Patent-5,969,429

Report No.(s): AD-D019697; No Copyright; Avail: US Patent and Trademark Office, Microfiche

An electrical power supply arrangement incorporates a turbine-generator assembly providing a self-contained non-battery electrical power source for supplying power to a breathing apparatus. The turbine-generator assembly is interposed in an air hose extending between first and second stage pressure regulators respectively connected to a pressurized air cylinder and to a cooling device of the breathing apparatus. The assembly includes an air turbine and an electrical generator disposed and coupled in tandem relationship to one another and enclosed in an elongated hollow housing. Pressurized air introduced into the turbine end of the housing expands across turbine blades and rotatably drives a central shaft of the turbine which, in turn, rotates a central rotor of the generator causing generation of electrical power in a stationary stator of the generator which surrounds the rotor. The electrical power can be accessed at a terminal block attached to the generator end of the housing for supplying power to operate the cooling device of the breathing apparatus.

DTIC

Breathing Apparatus; Turbine Blades; Electric Power Supplies; Electric Generators

20000057280 Jet Propulsion Lab., California Inst. of Tech., Pasadena, CA USA

Towards Development of Robotic Aid for Rehabilitation of Locomotion-Impaired Subjects

Bejczy, Antal K., Jet Propulsion Lab., California Inst. of Tech., USA; [2000]; 8p; In English; No Copyright; Avail: CASI; A02, Hardcopy; A01, Microfiche

Manual assistance of therapists to help movement of legs of spinal cord injured (SCI) subjects during stepping on a treadmill for locomotion rehabilitation has severe economic and technical limitations. Scientists at the Department of Physiological Science at the University of California Los Angeles (UCLA) and roboticists at the Jet Propulsion Laboratory (JPL) initiated a joint effort to develop a robotic mechanism capable of performing controlled motions equivalent to the arm and hand motions of therapists assisting the stepping of locomotion impaired subjects on a treadmill, while the subjects' body weight is partially supported by an overhead harness. A first necessary technical step towards this development is to measure and understand the kinematics and dynamics of the therapists' arm and hand motions as they are reflected on the subjects' leg movement. This paper describes an initial measurement system developed for this purpose together with the related measurement results, and outlines the planned future technical work.

Author

Robotics; Robot Control; Robot Dynamics; Locomotion

20000057394 Southampton Univ., Human Sciences Group, UK

Evaluating the Dynamic Performance of Seats Without Using Human Subjects

Wei, L., Southampton Univ., UK; Lewis, C. H., Southampton Univ., UK; Griffin, M. J., Southampton Univ., UK; April 2000; 106p; In English

Report No.(s): ISVR-TR-286; Copyright; Avail: Issuing Activity

The transmission of vertical vibration through a seat is dependent on the mechanical impedance of the human body supported on the seat: the seat and the body act as a coupled dynamic system. Current procedures for quantifying seat transmissibility and seat vibration isolation efficiency (e.g. SEAT values) therefore employ human subjects in vehicles or on laboratory simulators. The use of human subjects is costly and time- consuming and can involve a range of safety and ethical problems. The research described in this report was conducted to develop test procedures for evaluating the vibration isolation efficiency of seats without using human subjects. Two alternative methods of determining seat performance without human subjects have been developed: (i) the mathematical prediction of seat transmissibility from the separately measured dynamic characteristics of seats and the human body, and (ii) the use of mechanical dummies having dynamic characteristics representing those of the human body. The mathematical prediction method investigated the use of a single degree-of-freedom model and a two degree-of-freedom model of the human body. It was found that while both provided good predictions of measurements of seat transmissibility without a

backrest, the two degree-of-freedom model had the advantage of predicting the second resonance often seen in measurements around 8 Hz. It was found that modifications to these models, to allow for variations in vibration magnitudes and backrest contact, could give improved predictions of seat transmissibility for practical situations. The encouraging results suggest that the method will be useful for the prediction of seat dynamic performance. The currently proposed method of prediction is defined in an appendix. The applicability of a mechanical dummy has been investigated using two forms of mechanical dummy. One type of dummy employed passive elements to represent the mass, damping and stiffness of the human body. It is shown that mechanical dummies tend to suffer from non-linear responses that differ from the non-linear response of the human body and that careful testing of a dummy is required to ensure that the response is appropriate. A prototype single-degree-of-freedom dummy has been developed with an appropriate response at frequencies up to about 2OHz. Tests in the laboratory and in cars shows that this single-degree-of freedom dummy is sufficient to provide useful measures of seat transmissibility. However, optimization of the interaction of such a dummy with the backrest of a seat requires further investigation. The second type of mechanical dummy employed an active actuator to provide the damping and some of the stiffness of the dummy. It is shown that the apparent mass of an appropriate single degree-of-freedom system could be reproduced and controlled at frequencies up to 20Hz. This active dummy has various potential advantages, including the adjustment of characteristics by computer control and minimization of difficulties associated with the non-linearity of a passive dummy and the different non-linearity of the human body.

Author

Performance Prediction; Prediction Analysis Techniques; Seats; Stiffness; Vibration Isolators; Safety Factors; Human Beings; Human Body; Human Factors Engineering

Subject Term Index

Α

ABNORMALITIES, 8 ACTUATORS, 14 AEROSPACE MEDICINE, 4, 6 AIR CONDITIONING EQUIPMENT, 14 AIR TRANSPORTATION, 6 AIRCRAFT CONTROL, 15 AIRCRAFT PERFORMANCE, 9 AIRCRAFT PILOTS, 15 AIRLINE OPERATIONS, 6 ALGORITHMS, 13 ANIMALS, 2 ANTHROPOMETRY, 15, 17 ANTIBODIES, 1 ANTIGENS, 1 ARMED FORCES (FOREIGN), 16 ARTERIOSCLEROSIS, 4 **AUDITORY PERCEPTION, 11**

В

BACTERIA, 1, 3
BIBLIOGRAPHIES, 6
BIODEGRADATION, 13
BIOLOGICAL DIVERSITY, 2
BIOLOGICAL EFFECTS, 2
BLOOD CIRCULATION, 7
BLOOD COAGULATION, 5
BLOOD PRESSURE, 7
BOTANY, 3
BREATHING APPARATUS, 17

C

CANNULAE, 4
CARDIOVASCULAR SYSTEM, 4
CELLS (BIOLOGY), 2, 3
CHEMICAL ANALYSIS, 3
CHEMICAL REACTIONS, 5
CLAMPS, 4
CLINICAL MEDICINE, 4
COLLISION AVOIDANCE, 11
COMMAND AND CONTROL, 12
COMPATIBILITY, 15
COMPLEX SYSTEMS, 9, 16
COMPUTATION, 3
COMPUTER PROGRAMS, 16
COMPUTERIZED SIMULATION, 4
CONTROL SYSTEMS DESIGN, 9

COOLING, 14 COUPLES, 4 CREW PROCEDURES (INFLIGHT), 6 CRITERIA, 12

D

DATA BASES, 6
DATA PROCESSING, 12
DECISION MAKING, 9
DEOXYRIBONUCLEIC ACID, 2, 7
DESIGN ANALYSIS, 14
DESORPTION, 3
DISCRIMINATION, 11
DISPLAY DEVICES, 15
DROSOPHILA, 3
DYNAMIC CONTROL, 8

E

EDUCATION, 9, 10, 11, 12, 16
EGRESS, 13
ELECTRIC GENERATORS, 17
ELECTRIC POWER SUPPLIES, 17
ELECTROMECHANICAL DEVICES, 14
ENDOTHELIUM, 4
ENERGY TRANSFER, 4
ESTIMATING, 12
ETHYL ALCOHOL, 7
EXPOSURE, 5
EXTRAVEHICULAR ACTIVITY, 7

F

FAILURE, 9
FERMENTATION, 7
FLIGHT CREWS, 8, 14, 15
FLIGHT INSTRUMENTS, 8
FLIGHT MANAGEMENT SYSTEMS, 10
FLIGHT OPERATIONS, 16
FLIGHT SIMULATION, 10
FLIGHT SIMULATORS, 11
FLIGHT TRAINING, 9

G

GARMENTS, 13 GENE EXPRESSION, 2, 3 GENES, 2, 3
GENETIC CODE, 2
GENETIC ENGINEERING, 5
GENETICS, 2
GLOVES, 14
GOGGLES, 8
GRAVITATIONAL EFFECTS, 7
GRAVITATIONAL PHYSIOLOGY, 7

Н

HARNESSES, 6
HEART, 4
HEART RATE, 7
HEAT STORAGE, 13
HEATING, 4
HEMODYNAMIC RESPONSES, 7
HUMAN BEHAVIOR, 8
HUMAN BEINGS, 14, 18
HUMAN BODY, 17, 18
HUMAN FACTORS ENGINEERING, 12, 14, 17, 18
HUMAN PERFORMANCE, 11, 14

ı

IMMUNE SYSTEMS, 1 IMMUNOLOGY, 1 IN–FLIGHT MONITORING, 6 INDEXES (DOCUMENTATION), 6 INSECTS, 2 IONIZATION, 3

J

JOINTS (JUNCTIONS), 4

L

LIFE (DURABILITY), 16 LIFE SUPPORT SYSTEMS, 15 LIQUID COOLING, 13 LOCOMOTION, 17

М

MAN MACHINE SYSTEMS, 9, 15 MANAGEMENT SYSTEMS, 10 MATHEMATICAL MODELS, 3, 5 MEDICAL EQUIPMENT, 14
MEDICAL SERVICES, 6
MICROINSTRUMENTATION, 2
MICROORGANISMS, 7
MICROPROCESSORS, 2
MICROWAVE FREQUENCIES, 4
MILITARY OPERATIONS, 10
MISSION PLANNING, 16
MOTION PERCEPTION, 15
MOTION SICKNESS, 4

N

NAVY, 12 NETWORK ANALYSIS, 3 NETWORKS, 10 NIGHT VISION, 8 NUCLEAR RESEARCH, 2 NUMERICAL ANALYSIS, 5 NUMERICAL CONTROL, 9

0

OTOLITH ORGANS, 8

P

PERCEPTUAL ERRORS, 15 PERFORMANCE PREDICTION, 18 PERFORMANCE TESTS, 13 PERSONNEL DEVELOPMENT, 12, 16 PHYSICAL EXERCISE, 7 PHYSIOLOGICAL RESPONSES, 5 PLANTS (BOTANY), 3 POLICIES, 5, 9 PREDICTION ANALYSIS TECH-NIQUES, 18 PROCEDURES, 12 PRODUCT DEVELOPMENT, 16 PRODUCTION MANAGEMENT, 2 PROTECTION, 15 PROTECTIVE CLOTHING, 14, 15 PROTOTYPES, 10 PSYCHOLOGICAL TESTS, 12 PSYCHOLOGY, 8 PUBLIC HEALTH, 5 PULSE DURATION, 4

Q

QUALIFICATIONS, 12 QUALITY CONTROL, 2

R

RADIATION PROTECTION, 2
RADIATION THERAPY, 2
RATIONS, 16
REAL TIME OPERATION, 10
REGULATIONS, 9
RESEARCH, 5
RESEARCH MANAGEMENT, 5
RIBONUCLEIC ACIDS, 2
ROBOT CONTROL, 17
ROBOT DYNAMICS, 17
ROBOTICS, 17

S

SAFETY FACTORS, 18
SEATS, 18
SELF ALIGNMENT, 4
SEMICIRCULAR CANALS, 8
SENSITIVITY, 4, 8, 11
SEQUENCING, 7, 13
SHIVERING, 5
SHOULDERS, 6
SIMULATION, 5
SOFTENING, 4
SPACE SUITS, 14
SPACECRAFT DESIGN, 16
SPACECREWS, 7
STIFFNESS, 18
SYSTEMS SIMULATION, 9

T

TARGET ACQUISITION, 15
TASKS, 9
TEAMS, 10, 11, 12
TECHNOLOGY ASSESSMENT, 14
TEMPERATURE CONTROL, 5
THERMAL STRESSES, 13
THERMOREGULATION, 5
TIME OPTIMAL CONTROL, 13
TRAINING ANALYSIS, 9, 10
TRAINING DEVICES, 10
TRAINING SIMULATORS, 10
TRANSFER OF TRAINING, 9
TURBINE BLADES, 17
TWO DIMENSIONAL MODELS, 3

U

URINE, 14

۷

VESTIBULES, 8 VIBRATION ISOLATORS, 18 VIRTUAL REALITY, 8 VIRUSES, 1 VISUAL ACUITY, 11 VISUAL PERCEPTION, 11, 15 VISUAL STIMULI, 15

W

WASTE WATER, 13 WATER IMMERSION, 5 WATER TREATMENT, 13

Personal Author Index

Α

Antonio, Joseph, 7 Arndt, G. Dickey, 3 Aylward, Mark, 10

B

Barnard, Y. F., 10 Basilio, Ralph R., 15 Beer, N. Reginald, 3 Bejczy, Antal K., 17 Black, F. Owen, 8 Bots, M. J., 11 Bransdorfer, A. H., 14 Brattin, Lori L., 14 Brenner, Ingrid K., 5 Broach, Dana, 12

C

Canfield, Dennis V., 7 Carl, James R., 3 Castano, Rebecca, 2 Castellani, John W., 5 Chaturvedi, Arvind K., 7 Cheung, B., 4

D

Dean, Michelle, 12 Dejohn, Charles A., 6 Dolinar, Paul, 15

Ε

Essens, P. J. M. D., 11, 12

F

Fink, Patrick W., 3 Foster, Philip P., 6 Fritsch–Yelle, Janice, 6

G

Gable, Beverly A., 14 Garrett, Joan, 6 Gor, Victoria, 3 Green, Mavis F., 9 Greenisen, Michael, 6 Greenisen, Michael C., 13 Griffin, M. J., 17 Griffioen—Young, H. J., 8

Н

Hemker, H. C., 5 Hemker, P. W., 5 Henry, Phillip D., 3 Hoeksema–vanOrden, C. Y. D., 11 Howard, Russell D., 13 Hughes, Robert, 17 Hvala, Nadja, 13

J

Johnson, K. R., 14

K

Kahn, R., 2 Kalman, William G., 14 Kaufman, Jonathan, 14 Kline, Jane M., 14 Kocijan, Jus, 13 Kupfer, Doris M., 7

Larcher, Julie G., 6 Lee, Stuart M. C., 6, 13 Lewis, C. H., 17

М

Mann, Tobias, 2, 3 Martin, T., 2 Meyerowitz, Elliot, 3 Miralles, C., 2 Mjolsness, Eric, 2, 3 Moore, Alan D., Jr., 6

0

Oudenhuijzen, A. J. K., 16

P

Pacifico, Antonio, 3

Pavselj, Natasa, 13 Perkins, S. J., 1 Post, W. M., 11 Price, Kenneth, 17 Provost, Scott, 14 Pugh, John, 9

R

Raffoul, George W., 3 Rasker, P. C., 11 Regan, David, 10 Rice, Valerie J., 6 Riemersma, J. B. J., 11 Roe, Bruce A., 7 Ros, Milenko, 13 Rosenbaum, Bernard J., 4 Rudolph, Joseph, 17 Russell, Craig J., 12

S

Sabel, A. A., 10 Sawka, Michael N., 5 Schaafstal, A. M., 11 Schneider, Suzanne M., 6, 13 Sharp, Marilyn A., 6 Shek, Pang N., 5 Smith, David W., 6 Soper, John W., 7 Stortelder, W. J. H., 5 Sullivan, John M., 8

Т

Taylor, Christopher R., 14 Thakoor, S., 2 Tharion, William J., 6 Tucker, Heather D., 14 Turano, Kathleen A., 15

V

vanBaar, B. L., 3 vanBoxtel, L. B. J., 16 vanDelft, J. H., 12 vanderHulst, A. H., 10 Veronneau, Stephen J. H., 6 Verstegen, D. M. L., 10 Vu, Nicole T., 7

W

Wei, L., 17 White, David, 9 Williamson, Tania, 6 Wolbrink, Alex M., 6 Wold, Barbara, 2 Wood, Simon J., 9 Woodruff, Kristin K., 13

Y

Young, Andrew J., 5

Z

Zurek, R., 2

Report Documentation Page

1. Report No.	Government Accession No.	3. Recipient's Catalog No.		
NASA/SP—2000-7011/SUPPL501				
4. Title and Subtitle	5. Report Date			
Aerospace Medicine and Biolo	June 2000			
A Continuing Bibliography (S	6. Performing Organization Code			
7. Author(s)	8. Performing Organization Report No			
		10. Work Unit No.		
9. Performing Organization Name and A				
NASA Scientific and Technica	11. Contract or Grant No.			
Tit is i selemme and recimies	ir miorimadon i rogram office			
12. Sponsoring Agency Name and Addres	13. Type of Report and Period Covered			
National Aeronautics and Space	Special Publication			
Langley Research Center	14. Sponsoring Agency Code			
Hampton, VA 23681		The Spanishing Agency Could		
15. Supplementary Notes		1		
To Supplementary Notes				
16. Abstract				
	e and other documents recent	y appounded in the NASA STI		
Database.	s and other documents recent	y announced in the NASA STI		
Database.				
	T.a. =			
17. Key Words (Suggested by Author(s))		on Statement		
Aerospace Medicine	Unclas	sified – Unlimited		
Aerospace Medicine Bibliographies	Unclas			
Aerospace Medicine Bibliographies Biological Effects	Unclas Subjec	sified – Unlimited t Category – 52		
Aerospace Medicine Bibliographies Biological Effects	Unclas	sified – Unlimited		